C·J·HEWLETT
AND SON, LTD

MANUFACTURING CHEMISTS

ANALYTICAL CHEMISTS
MANUFACTURERS OF
PHARMACEUTICAL AND
CHEMICAL PREPARATIONS AND
ORIGINATORS OF

NEW VETERINARY REMEDIES

CONTRACTORS TO H.M. GOVERNMENT

ESTABLISHED 1832

•

AUGUST, 1950

ISSUED TO THE VETERINARY PROFESSION ONLY

DRUGS · FINE CHEMICALS AND
VETERINARY SPECIALITIES

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Coll. pam
No. V 26
• BE 5
1950
H61h

[Hewlett's Veterinary Price List August 1950]

INDEX

	Page
"AMPULIQUES"	15
"ANÆSCO"	7
ANTISEPTIC CREAM	10
ANTISEPTIGEN	7
ANTITHERMOGEN	7
BOUGIES	30
CALCIUM BORO-GLUCONATE P	8
CALCIUM BORO-GLUCONATE P-M	8
CALCIUM BORO-GLUCONATE P-M-D	8
CAPSULES	29
CARBAMYLCHOLINE	8
CATTLE DRENCHES	21
COLCHICINE	9
DOG POWDER TABLETS	23
DRAUGHTS FOR HORSES	31
DRUGS AND CHEMICALS	1
"EVAPOGENS"	31
HEWLETT'S CREAM	10
HEWLIX	10
HEWSOL	10
HEWSOL CATIONIC CREAM	10
HORMONIGEN ELIXIR	10
HORSE BALLS	22
HORSE POWDERS	21
INJECTIONS	15
McLINTOCK PRESET SYRINGE	33
MIXTURES, VETERINARY	13
MYROXLINE	11
NEO-INJECTOR	34
OINTMENTS, OPHTHALMIC	28
PACKED PRESCRIPTIONS	7
PAROPHYROXIA	11
PENICILLIN PREPARATIONS	11
PESSARIES	30
PILLS	24/25
POWDER, TABLETS, DOG	23
POWDERS, HORSE	21
POWDERS, PIG	28
PULVETTES (SEE DOG POWDER TABLETS)	
SARCOGEN	11
SERA AND VACCINES	32
"SOLTABS"	28
STAINS, MICROSCOPIC	31
TABLETS, COMPRESSED	26
TABLETS, HYPODERMIC	20
TEAT BOUGIES	30
VACCINES AND SERA	32
V.A.P.	12

HEWLETT'S TELEGRAPHIC CODE

Registered Telegraphic Address :—"PEPSINE, AVE, LONDON."

ABBEY.—Send by first passenger train.
ABBOT.—Send by return of post.
ABIDE.—Send by parcel post.
ABJECT.—Send in usual manner.
ABLAZE.—Add to order.
ADHERE.—Do not send off goods until you receive an addition.
ADHIBIT.—Send as before.
AGROUND.—Send as much of order as possible at once.
APTLY.—The order is confirmed.
BASE.—1 lb.
BASSET.—2 lbs.
BECKON.—7 lbs.
BEAVER.—1 cwt.
BECLOUD.—Win. quart.
BEDEW.—One gallon.
CABIN.—One ounce.
CADDY.—Two ounces.
CENTRAL.—Four ounces.
CERISE.—Eight ounces.
CHAPTER.—Half a dozen.
CHARTER.—The smallest quantity you can supply.

TERMS

A DISCOUNT OF FIVE PER CENT. WILL BE ALLOWED FOR SETTLEMENT OF ACCOUNT IF PAID WITHIN THIRTY DAYS OF DATE OF STATEMENT.

CARRIAGE PAID ON ORDERS OF FIVE POUNDS AND UPWARDS.

NO ITEM SUPPLIED UNDER 9d., EXCLUSIVE OF PACKAGE.

EMPTIES RECEIVED IN GOOD CONDITION, CARRIAGE PAID, ARE CREDITED AT PRICES CHARGED.

SAMPLES AND SPECIAL QUOTATIONS ARE GIVEN FOR LARGE QUANTITIES WHEN DESIRED.

PRICES SUBJECT TO MARKET FLUCTUATION.

NOTE.—In the event of packages being tendered by the Railway or Carriers in a damaged condition, they should in such cases be signed for as "damaged." Empties or Returned Packages cannot be credited until actually received. Advice should be sent by post on the day of despatch, stating the number of packages, contents and railway or carrier. All packages should bear the sender's name and address INSIDE the package as well as OUTSIDE. Empties of other firms cannot be credited.

APPOINTMENTS, PRACTICES FOR DISPOSAL, ETC.

C. J. Hewlett & Son, Ltd., are frequently asked for *Locum Tenens*, Qualified Assistants, Practices for Sale, etc. The services of their "Transfer Department" are available to Veterinary Surgeons free of charge.

C. J. HEWLETT & SON LTD.

MANUFACTURING CHEMISTS
MANUFACTURERS OF VETERINARY SPECIALITIES

GLASGOW
Telephone: BRIDGETON 3944
Telegrams:
PEPSINE, GLASGOW

LONDON
Telephones:
BISHOPSGATE 4753 (Five lines)
Telegrams:
PEPSINE, AVE, LONDON

35-43 CHARLOTTE ROAD
GREAT EASTERN STREET
LONDON, E.C.2
Also at 216 ORR STREET & 46 FORBES STREET, GLASGOW, S.E.

For the convenience of our customers, Drugs and Preparations are marked as under. No legal responsibilities, however, can be accepted for any errors or omissions.

DD = Dangerous Drug
Sl = Schedule I Poison
M = Purchase Tax 33⅓%
T = Purchase Tax 66⅔%
C = Purchase Tax 100%

Goods not priced were temporarily out of stock at the time of going to press.

DRUGS, FINE CHEMICALS & PHARMACEUTICAL PREPARATIONS

Acacia Pulv.		*lb.*	4/6
Acacia Sorts		*lb.*	4/3
Acetanilidum. *Antifebrin*		*lb.*	5/-
Acetum. *Malt Vinegar* *Pint* 1/-		*gal.*	5/6
Acetum Cantharidin B.P.C.	Sl	*lb.*	5/6
Acetum Ipecac.		*lb.*	5/9
Acetum Scillæ B.P.		*lb.*	1/3
Acid. Acetic Fort.		*lb.*	1/-
Acid. Acetic Glacial		*lb.*	1/9
Acid. Acetylsalicylic		*lb.*	5/6
Acid. Benzoic.		*lb.*	5/9
Acid. Boric. Cryst.		*lb.*	1/6
Acid. Boric. Pulv.		*lb.*	1/6
Acid. Carbolic. Liq. *See Phenol Liq.*			
Acid. Citric. Cryst.		*lb.*	3/-
Acid. Citric. Pulv.		*lb.*	3/-
Acid. Hydrobrom. Dil.		*lb.*	2/6
Acid. Hydrochlor. Com'l.		*lb.*	10d.
Acid. Hydrocyanic. Dil. B.P.	Sl	*lb.*	2/8
Acid. Hydrocyanic. Scheele's	Sl	*oz.*	1/2
Acid. Nitric. Com'l.		*lb.*	1/6
Acid. Nitric. Pur.		*lb.*	1/9
Acid. Nitro-Hydrochlor. Dil.		*lb.*	11d.
Acid. Oleic		*lb.*	2/7
Acid. Oxalic		*lb.*	3/-
Acid. Picric. 1% Aqueous		*lb.*	1/1
Acid. Salicylic		*lb.*	3/9
Acid. Sulphuric. Com'l.		*lb.*	10d.
Acid. Sulphuric. Pur.		*lb.*	1/4
Acid. Sulphurous		*lb.*	1/2
Acid. Tannic.		*lb.*	16/-
Acid. Tartaric. Cryst. B.P.		*lb.*	3/5
Acid. Tartaric. Pulv. B.P		*lb.*	3/5
Acriflavine in Paraffin Liq. 1-1000. *See Cremor Proflavine*			
Adeps Benz.		*lb.*	3/3
Adeps Lanæ Hyd. *Lanoline*		*lb.*	2/4
Aether, Anæsthetic 0.720		*lb.*	4/2
Aether Chloric (Hewlett's) *Duplex*	M	*lb.*	7/3
Aether Nitros Sol. 1-7		*lb.*	10/6
Aether Meth. 0.730		*lb.*	3/4
Aloe Barb. B.P. Pulv.		*lb.*	6/-
Aloe Cape B.P.		*lb.*	3/3
Aloe Cape Pulv. B.P.		*lb.*	3/8
Aloes Solution 1-3		*lb.*	2/-
Aloin		*oz.*	4/-
Alterative Powders for Dogs		*Page*	23
Alterative Powders for Horses		*Page*	21
Alum. Pulv. Opt.		*lb.*	1/6
Alum. Pulv. Com'l.		*lb.*	10d.
Alum. Rupel. *Roche Alum*		*lb.*	2/2
Alum. Ust.		*lb.*	1/11
Alum. Ust. Pulv.		*lb.*	2/1
Ammon. Bromid.		*lb.*	4/1
Ammon. Carb. Gran.		*lb.*	2/-
Ammon. Carb. Pulv.		*lb.*	1/9
Ammon. Chlorid. Com'l. *Sal Ammoniac*		*lb.*	1/2
Ammon. Chlorid. Pur. B.P.		*lb.*	1/7
"Ampuliques"		*Page*	15
Amyl Nitris		*oz.*	1/5
Amylum. *Starch Powder*		*lb.*	11d.
"Anæsco" *(See pages 7 and 15)*			
Anchusa		*lb.*	4/8

Anisum Pulv.		*lb.*	**4/9**
Anodyne Draughts		*Page 31*	
Anthemis Flor. *Camomile*		*lb.*	**8/9**
Antifebrin. *See Acetanilidum*			
Antim. Crocus. *Liver of Antimony*	S1	*lb.*	**3/–**
Antim. Nigrum Pulv.	S1	*lb.*	**3/1**
Antim. Sulphuratum. *Golden Sulphide*	S1	*lb.*	**6/2**
Antim. Tart. *Tartar Emetic*	S1	*lb.*	**16/6**
Antipyrin. *See Phenazonum*			
Antiseptic Cream (Hewlett's)		*Page 10*	
Antiseptic Jelly, Biniodide. *2oz. tubes, 24/– doz.*	M	*lb.*	**9/4**
Antiseptigen (Hewlett's)		*lb.*	**8/6**
Antithermogen		*Page 7*	
Apomorph. Hydrochlor. 8/6 *gramme*		*gr.*	**1/11**
Aqua Dest.		*gal.*	**1/10**
Areca Pulv.		*lb.*	**3/–**
Arecolin. Hydrobrom. 5/– *gramme*		*gr.*	**6d.**
Argebt. Nit. Sticks, 6's		*oz.*	**7/2**
Argent. Nit. Cryst.		*oz.*	**6/8**
Argent. Nit. tough points		*doz.*	**15/–**
Arnica		*lb.*	**4/9**
Arnica Pulv.		*lb.*	**7/6**
Arsenic. Alb. Pulv. Com'l.	S1	*lb.*	**1/6**
Arseni Trioxid. B.P.	S1	*lb.*	**3/–**
Asafœtida		*lb.*	**6/9**
Asafœtida Pulv.		*lb.*	**8/–**
Ascarine, for round worms in Dogs		*Page 7*	
Astringent Powders for Dogs		*Page 23*	
Astringent Powders for Horses		*Page 21*	
Atropin. Sulph.	S1	*dr.*	**8/3**
Balsam. Peru.		*lb.*	**14/10**
Balsam. Sulphur.	M	*lb.*	**4/5**
Balsam. Tolu.		*lb.*	**35/–**
Balsam. Tussis *For Dogs*	M	*lb.*	**3/6**
Barbadoes Tar. *See Pix Barbadense*			
Belladonna Pulv.	S1	*lb.*	**11/–**
Belladonnæ Fol.	S1	*lb.*	**9/6**
BIPP. *Bismuth Iodoform Paste*		*oz.*	**2/11**
Bismuth. Carb.		*lb.*	**22/8**
Bismuth. Subgallas		*lb.*	**22/6**
Bismuth. Subnit.		*lb.*	**20/3**
Blister Ointment (Hewlett's Special)		*Page 8*	
Blister Ointment, green (Hewlett's)		*lb.*	**9/6**
Bole Armen.		*lb.*	**1/–**
Borax Pulv.		*lb.*	**1/2**
Bougies, Teat		*Page 30*	
Butyl Chloral Hydras		*oz.*	**3/9**
Calamina Artificial		*lb.*	**1/6**
Calamina Præp. B.P.		*lb.*	**3/4**
Calcii Boro-Gluconas		*Page 8*	
Calcii Dextrose, Oral	M	*lb.*	**6/6**
Calcii Gluconas		*lb.*	**7/6**
Calumba Pulv.		*lb.*	**3/6**
Calx Chlorinata. *1lb. sealed tins*		*each*	**1/5**
Camphor Flor. *Natural*		*lb.*	**9/–**
Cantharides Pulv.	S1	*lb.*	**21/–**
Capsicum		*lb.*	**6/11**
Capsicum Pulv.		*lb.*	**8/3**
Capsules		*Page 29*	
Carbo Ligni. *Wood Charcoal*		*lb.*	**10d.**
Carbo Ligni Pulv.		*lb.*	**10d.**
Carum Pulv.		*lb.*	**4/–**
Caryophyllum Pulv.		*lb.*	**5/3**
Cascarilla Pulv.		*lb.*	**6/2**
Cassia Pulv.		*lb.*	**3/4**
Catechu Pallid.		*lb.*	**3/5**
Catechu Pulv.		*lb.*	**5/3**
Cattle Drenches		*Page 21*	
Cera Flav.		*lb.*	**6/6**
Charges, red or lead	S1.M	*doz.*	**36/–**
Charges, Compound Mercurial	S1.M	*doz.*	**36/–**
Chloral Hydras Cryst.		*lb.*	**8/–**
Chlorbutol		*oz.*	**2/3**
Chlorodyne (Hewlett's) black	DD	*lb.*	**6/–**
Chlorodyne (Hewlett's) pink or white	S1	*lb.*	**6/6**
Chloroform B.P.		*lb.*	**4/6**
Chloroxydine (Hewlett's)	S1.M	*lb.*	**4/–**
Cinnamon. Pulv.		*lb.*	**4/6**
Cinchona Pulv.		*lb.*	**8/–**
Coal Tar Alcoholic Solution (Hewlett's)		*lb.*	**2/6**
Cocain. Hydrochlor.	DD	*drm.*	**13/9**
Cocain. Hydrochlor. Solution 5%	DD	*oz.*	**7/9**
Cocain. Hydrochlor. Solution 10%	DD	*oz.*	**13/6**
Colchici Rad. Pulv.		*lb.*	**14/6**
Colic Drinks		*Page 31*	
Collodium Flex. Meth.		*lb.*	**4/2**
Compressed Tablets		*Page 26*	
Condition Powders		*Page 21*	
Cordial Drinks		*Page 31*	
Coriandrum Pulv.		*lb.*	**3/6**
Cough Powders for Dogs		*Page 23*	
Cough Powders for Horses		*Page 21*	
Cremor Bism. Hydrat.	M	*lb.*	**6/–**
Cremor Proflavine		*lb.*	**3/6**
Creosotum B.P.		*lb.*	**12/9**
"Creosalgen" Disinfecting Fluid *1 gal. Cans*		*each*	**4/6**
10 gal. Drums		*each*	**40/–**
Creta Preparata		*lb.*	**10d.**
Creta Præcip.		*lb.*	**9d.**
Cupri Oleas		*lb.*	**6/3**
Cupri Sulphas Coml.		*lb.*	**1/3**
Cupri Sulphas Pulv. Coml.		*lb.*	**1/3**
Curcuma Pulv. *Turmeric*		*lb.*	**3/4**
"Curex" (Trade Mark). *Eczema Cream*	M	*lb.*	**4/6**
Decoct. Aloes Co. Conc.		*lb.*	**3/7**
Decoct. Cinchonæ Conc. 1-7		*lb.*	**7/–**
Decoct. Hæmatoxyli Conc.		*lb.*	**4/2**
Decoct. Sarsæ Conc.		*lb.*	**8/3**
Decoct. Uvæ Ursi Conc.	M	*lb.*	**5/6**
"Deliciol" (Trade Mark). *Intestinal Lubricant*	M	*lb.*	**2/6**
"Deliciol" Liquid. *Intestinal Lubricant*	M	*lb.*	**2/–**
Derris Pulv.		*lb.*	**5/6**
Dextrosum B.P. *See Glucose*			
Diamorphin. Hydrochlor.	DD	*drm.*	**12/2**
Digestole. *Antacid Powder*		*lb.*	**10/1**
Digitalis Pulv.		*lb.*	**10/–**
Disinfecting Fluid. *See "Creosalgen"*			
Diuretic Powders for Dogs		*Page 23*	
Diuretic Powders for Horses		*Page 21*	
Dog Pills		*Page 24*	
Dog Powders		*Page 23*	
Dog Wash		*Page 9*	
Draughts for Horses		*Page 31*	
Dusting Powder		*Page 9*	

Ear Canker Paint	M	*lb.*	3/–
Electuary Belladonnæ		*Page 7*	
Electuary Potass. Co.	M	*lb.*	3/6
Elixir Chelidonii Co.	M	*lb.*	5/6
Elixir Ephedrin. Co.		*lb.*	6/6
Elixir Hormonigen		*Page 10*	
Elixir Valerian. Co.	M	*lb.*	3/6
Elixir Vitaminæ. *See "Hewlix"*		*Page 10*	
Elixir Phenobarb		*Page 9*	
Embrocation, White		*Page 9*	
Emulsio Benzyl. Benzoat. B.P.C.		*lb.*	4/–
Emulsio Acriflavine 1-1000. *See Cremor Proflavine*			
Emulsio Alkalina		*lb.*	1/11
Emulsio Aspirin et Kaolin		*lb.*	3/–
Emulsio Hormonigen		*lb.*	3/6
Emulsio Kaolin Co.		*Page 9*	
Emulsio Ol. Chenopodii		*Page 9*	
Emulsio Paraffin et Kaolin. *See Petrolatine Emulsion with Kaolin*		*Page 11*	
Emulsio Thymol Co. (Hewlett's) *For Strongylosis in horses*		*lb.*	4/–
Ergota B.P.	S1	*lb.*	49/6
Ergota Prep.	S1	*lb.*	82/6
Eserine Sulph.	S1	*gr.*	1/6
Ess. Menth. Pip. 1-5		*oz.*	5/–
Ethyl Chloride *Tube*		*each*	5/6
Eucalyptus Dog Wash		*Page 9*	
Eupad		*lb.*	1/9
Euphorbium Pulv.		*lb.*	7/8
Eusol		*lb.*	1/–
"Evapogens." *Evaporating Skin Lotions*		*Page 31*	
Ext. Belæ Liq.		*lb.*	6/6
Ext. Belladonnæ Virid. B.P. 1898		*oz.*	2/3
Ext. Belladonnæ Liq. B.P.		*lb.*	23/–
Ext. Cascaræ Liq. B.P.		*lb.*	6/6
Ext. Digitalis Liq.		*lb.*	17/6
Ext. Ergotæ Liq. B.P.		*lb.*	41/3
Ext. Filicis Liq. *Male Fern* 3/3 *oz.*		*lb.*	36/–
Ext. Glycyrrh. Liq.		*lb.*	3/6
Ext. Hamamelidis Liq.		*lb.*	10/–
Ext. Hydrastis Liq. B.P.C.		*oz.*	7/9
Ext. Hyoscyam. Liq. B.P.		*lb.*	14/–
Ext. Malt. with Cod Liver Oil		*lb.*	1/8
Ext. Mugwort Liq.	M	*lb.*	7/9
Ext. Nucis Areca	M	*lb.*	16/–
Ext. Nucis Vomica Sicc.		*oz.*	1/8
Ext. Nucis Vom. Liq.		*lb.*	8/3
Ext. Pituitary. *Posterior Lobe*		*Page 19*	
Ext. Taraxaci		*oz.*	1/9
Ext. Taraxaci Liq.		*lb.*	8/9
Ferri Carb. *Sesquioxide*		*lb.*	2/–
Ferri Carb. Sacc.		*lb.*	3/3
Ferri et Ammon. Cit.		*lb.*	5/–
Ferri et Quinin. Cit.		*oz.*	3/4
Ferri Sulph. Com'l.		*cwt.*	26/–
Ferri Sulph. Exsic. Pulv.		*lb.*	1/10
Ferri Sulph. Pulv.		*lb.*	10d.
Ferri Sulph. Pur.		*lb.*	11d.
Fever Drinks		*Page 31*	
Fever Powders for Dogs		*Page 23*	
Fever Powders for Horses		*Page 22*	
Fœniculum Pulv. *Fennel*		*lb.*	3/2
Fœnum-Græcum Pulv.		*lb.*	2/3
Formaldehyde (Hewlett's Formalin)		*lb.*	1/3
Fuller's Earth Powder		*lb.*	1/–
Fly Repellent 6/6 *gal.*		*lb.*	9d.

Galla Pulv.		*lb.*	6/4
Gentiana Pulv.		*lb.*	3/–
Glucose Liq.		*lb.*	11d.
Glucose Powdered. *Pure Medicinal*		*lb.*	1/9
Glycerin. 1.260 B.P.		*lb.*	2/3
Glycerin. Acid. Boric.		*lb.*	4/8
Glycerin. Acid. Tannic.		*lb.*	5/6
Glycerin. Belladonnæ	S1	*lb.*	15/6
Glycerin. Phenolis		*lb.*	3/3
Glycyrrhiza Pulv.		*lb.*	2/3
Guaiaci Resin		*lb.*	8/3
Guaiaci Resin Pulv.		*lb.*	9/4
Halibut Liver Oil		*oz.*	6/9
Heel Ointment, strong	M	*lb.*	2/8
Heel Ointment, pink		*Page 9*	
Helleboris Pulv.		*lb.*	6/7
Hexamina Pulv.		*lb.*	3/7
Hewlett's Cream		*Page 10*	
Hewlix		*Page 10*	
Hewsol. *Germicide*		*Page 10*	
Hewsol Liq. Antisept. *For Canker*	M	*lb.*	1/6
Horse Balls		*Page 22*	
Horse Powders		*Page 21*	
Hydrarg. Ammoniatum		*lb.*	15/9
Hydrarg. Ammoniatum Pulv.		*lb.*	16/–
Hydrarg. Biniod. *oz.* 2/9	S1	*lb.*	33/–
Hydrarg. c. Creta	S1	*lb.*	7/4
Hydrarg. Oleatum 20%	S1	*lb.*	10/–
Hydrarg. Oxidum Rub.		*lb.*	17/9
Hydrarg. Perchlor. *Corrosive Sublimate*	S1	*lb.*	15/3
Hydrarg. Perchlor. Pulv.	S1	*lb.*	13/10
Hydrarg. Subchlor. *Calomel*		*lb.*	16/9
Hydrarg. Subsulphas Flav. *Turpeth's Mineral*		*lb.*	29/9
Hydrogen Peroxide 10 vols. 5/3 *gal.*		*lb.*	9d.
Hydrogen Peroxide 20 vols. 7/3 *gal.*		*lb.*	1/2
Hypodermic Tablets		*Page 20*	
Ichthammol *lb.* 9/–		*oz.*	1/7
Infus. Amarum Conc. 1-7		*lb.*	3/–
Infus. Buchu Conc. 1-7		*lb.*	5/9
Infus. Catechu Conc. 1-7	M	*lb.*	5/–
Infus. Cinchon. Conc. 1-7	M	*lb.*	6/3
Infus. Gentian. Co. Conc. 1-7		*lb.*	2/9
Infus. Jaborandi Conc. 1-7	M	*lb.*	4/9
Inject. Chenopodii Co. *For Hoose or Husk*		*lb.*	6/–
Inject. Chloroform. Co. *For Husk*	M	*lb.*	3/6
Inject. Terebinth. Co. *For Husk*	M	*lb.*	6/–
Injections, Hypodermic, etc.		*Page 15*	
Insect Powder	M	*lb.*	5/6
Iodermiol. *Stainless Iodine Preparation*		*lb.*	12/–
Iodermiol Ointment		*Page 10*	
Iodine Resub. 2/2 *oz.*		*lb.*	24/6
Iodoform 3/– *oz.*		*lb.*	28/6
Jalapa Pulv.		*lb.*	8/3
Juniper Bacc.		*lb.*	2/9
Juniper Bacc. Pulv.		*lb.*	3/3

Kan-kur. *For Canker in Horses' Feet*		M	*lb.*	5/–
Kaolin B.P. *Cwt.*	45/–		*lb.*	10d.
Kaolin Com'l.			*lb.*	7d.
Lactosum			*lb.*	2/7
Lamellæ Atropine *Tubes of*	25	S1	*each*	1/9
Lamellæ Cocain. *Tubes of*	25	DD	*each*	1/9
Lamellæ Homatropine. *Tubes of*	25	S1	*each*	1/9
Lamellæ Physostigmine. *Tubes of*	25	S1	*each*	1/9
Liniment. Aconiti Meth.		S1	*lb.*	5/6
Liniment. Alb. *(See Embrocation p.9)*				
Liniment. Arnicæ c. Sapone			*lb.*	3/–
Liniment. Belladon. Meth.		S1	*lb.*	11/6
Liniment. Betulæ Co. Dil.		M	*lb.*	3/6
Liniment. Camphoræ			*lb.*	4/6
Liniment. Camph. Co. Meth.			*lb.*	3/8
Liniment. Cantharidis Fort.		S1.M	*lb.*	4/6
Liniment. Iodermiol			*lb.*	5/6
Liniment. Iodi		M	*lb.*	7/3
Liniment. Opii Meth.		DD	*lb.*	10/6
Liniment. Plumbi Co. *For Cracked Heels*		S1.M	*lb.*	2/–
Liniment. Pot. Iodid. c. Sapone Liq.			*lb.*	5/9
Liniment. Resolvens. *For Splints, Capped Hocks, etc.*		M	*lb.*	5/6
Liniment. Safrol Co.		M	*lb.*	8/6
Liniment. Safrol Co. Dil.		M	*lb.*	3/6
Liniment. Saponis Meth.			*lb.*	2/3
Liniment. Saponis c. Myrrh. et Benzoin (Hewlett's)		M	*lb.*	4/6
Liniment. Stimulans *See Lin. Universal*				
Liniment. Terebinth. B.P.			*lb.*	2/3
Liniment. Terebinth. Alb. (Hewlett's)			*lb.*	1/1
Liniment. Tereb. Alb. Conc. 1-4			*lb.*	4/60
Liniment. Universale			*lb.*	2/6
Linum Contus. *Linseed Meal*			*lb.*	1/9
Linum Pulv.			*lb.*	1/9
Liquor Adrenalin. Hyd.			*Page 15*	
Liquor Alumin. Acet.			*lb.*	2/1
Liquor Ammon. Acet. Fort. 1-7			*lb.*	1/9
Liquor Ammon. Aromat. Conc. 1-2			*lb.*	2/6
Liquor Ammon. Fortis. ·880			*lb.*	1/3
Liquor Antimoni Chlorid.		S1	*lb.*	3/3
Liquor Antim. Mur.		S1.M	*lb.*	2/–
Liquor Arsenicalis B.P.		S1	*lb.*	1/6
Liquor Arsenici Bromid. (Hewlett's)		S1.M	*lb.*	2/6
Liquor Arsen. et Hydrarg. Iodid. *Donovan's Sol.*		S1	*lb.*	3/–
Liquor Aurant. Dulc. (Hewlett's)			*lb.*	4/5
Liquor Bismuth. et Ammon. Cit.			*lb.*	3/4
Liquor Caffein. et Pot. Iodid. Veterinary		M	*lb.*	6/6
Liquor Calcis Chlorinatæ			*lb.*	1/1
Liquor Calcis Sulph. c. Sulphur.		M	*lb.*	1/3
Liquor Chloral Hydrat. 1-1			*lb.*	8/3
Liquor Cocci Cacti (Hewlett's)			*lb.*	14/–
Liquor Croci Co. (Hewlett's)			*lb.*	3/6
Liquor Croci Dulc. (Hewlett's)			*lb.*	4/6
Liquor Epispasticus (Hewlett's)		S1.M	*lb.*	33/6
Liquor Ferri Dialysat.			*lb.*	2/–
Liquor Ferri Perchlor. Fort. B.P.			*lb.*	2/2
Liquor Hydrarg. Perchlor. B.P.			*lb.*	1/2
Liquor Iodi Fort B.P.			*lb.*	10/2
Liquor Iodi Mit. B.P.			*lb.*	7/6
Liquor Iodi Aquos B.P.			*lb.*	5/2
Liquor Iodi Decolor. Meth.			*lb.*	3/4
Liquor Limonis Flav. (Hewlett's)			*lb.*	6/–
Liquor Lividis Dulc. (Hewlett's)			*lb.*	2/6
Liquor Nitriti Co. (Hewlett's). *Substitute for Spt. Aether. Nit.*			*lb.*	2/–
Liquor Opii Sedativus (Hewlett's)		DD.M	*lb.*	19/10
Liquor Picis Carb. Meth.			*lb.*	2/4
Liquor Plumbi Subacet. Fort.			*lb.*	1/4
Liquor Potass Hydrox. Fort			*lb.*	1/2
Liq. Quinin. Ammon. B.P.			*lb.*	7/–
Liquor Rhamni pro Syrup. 1-7			*lb.*	9/4
Liquor Rosæ Dulc. (Hewlett's)			*lb.*	13/6
Liquor Rosæ Dulc. No. 2 (Hewlett's)			*lb.*	6/–
Liquor Rub. (Hewlett's)			*lb.*	3/–
Liquor Rubi Idæi Conc. (Hewlett's)			*lb.*	4/–
Liquor Sodæ Chlorinatæ			*lb.*	1/3
Liquor Strychninæ Hydrochlor.		S1	*lb.*	3/8
Liquor Viride Dulc. (Hewlett's)			*lb.*	2/–
Liquor Zinci Chlor. Comi.			*lb.*	1/8
Lotio Belladonnæ Co. *Lainé*		M	*lb.*	3/3
Lotio Calaminæ			*lb.*	1/6
Lotio Calaminæ N.W.F. Conc. 1-2			*lb.*	2/3
Lotio Calaminæ Oleos			*lb.*	2/–
Lysol. *Hewlett's Surgical Creosalgen*			*gal.*	10/6
Magnes. Carb. Levis			*lb.*	2/1
Magnes. Carb. Pond.			*lb.*	2/4
Magnes. Sulph. *Epsom Salts*			*lb.*	6d.
Magnes. Sulph. Exsicc. B.P.			*lb.*	11d.
Magnes. Sulph. Pulv. coloured pink, yellow, or red			*Page 21*	
Magnes. Sulph. coloured, with Ginger			*Page 21*	
Magnes. Trisilicas			*lb.*	5/1
"Magnum" Pessaries			*Page 30*	
Maltovin. *Tonic Wine for Dogs*		M	*lb.*	3/–
Menthol			*oz.*	11/9
Mercurial Soap (Hewlett's). *See Sapo Mercurial*				
Methyl Salicylas			*lb.*	4/–
Methylene Ditannin			*oz.*	3/4
Mixtures. *See Page 13*				
Morphin. Acet. or Hyd.		DD	*dr.*	11/–
Morphin. Sulph.			*dr.*	11/–
Mustard, Pure			*lb.*	5/6
Myroxline (Hewlett's)			*lb.*	4/3
Nux Vomica Pulv.			*lb.*	3/–
Ol. Amgyd. Dulc. B.P.			*lb.*	10/–
Ol. Anisi			*oz.*	1/10
Ol. Arachis B.P.			*gal.*	12/8
Ol. Camphoratum. *Camphorated Oil. See Lin. Camph.*				
Ol. Carbolizatum 1-20			*lb.*	3/6
Ol. Cantharidis Fort. (Hewlett's Special)		S1.	*lb.*	5/–
Ol. Cari B.P.			*oz.*	3/10
Ol. Caryoph. B.P.			*lb.*	24/9
Ol. Chenopodii	61/6 *lb.*		*oz.*	5/1
Ol. Chenopodii 5% with Castor Oil			*lb.*	8/6
Ol. Crotonis			*oz.*	3/3
Ol. Eucalypti B.P.			*lb.*	11/–
Ol. Iodermiol		M	*lb.*	6/–
Ol. Juniper. Bacc.			*lb.*	33/6
Ol. Lini	3/6 *pint*		*gal.*	21/–

Ol. Menth. Pip. B.P.		oz.	8/3
Ol. Morrhuæ British		gal.	20/–
Ol. Morrhuæ Veterinary		gal.	15/–
Ol. Neatsfoot 5/3 lb.		gal.	36/–
Ol. Olivæ Opt. B.P. 5/– lb.		gal.	34/–
Ol. Origanum Opt. 2/9 oz.		lb.	33/–
Ol. Palmæ		lb.	2/3
Ol. Picis Com'l., dark		lb.	1/6
Ol. Picis Rect.		lb.	1/9
Ol. Rapii. *Colza* 28/– gal.		lb.	4/–
Ol. Ricini Opt. *Castor Oil* 25/– gal.		lb.	2/9
Ol. Sesami 10/– gal.		lb.	1/6
Ol. Sperm		gal.	20/–
Ol. Staphisagræ (Hewlett's)		oz.	2/9
Ol. Succini Rect.		lb.	2/8
Ol. Tereb. B.P. 21/6 gal.		pt.	3/9
Ol. Train		gal.	24/3
Ol. Whale		gal.	19/–
Opium Pulv.	DD	oz.	11/–
Oxymel Scillæ		lb.	2/3
P.A.B.S. (See Sulphanilamide)			
Paraffin Liq. B.P. 11/9 gal.		lb.	1/10
Paraffin Molle Alb.		lb.	2/–
Paraffin Molle Flav. B.P.		lb.	1/8
Paraldehyde (Hewlett's)		lb.	3/6
Parophyroxia	M	lb.	5/–
Penicillin Ointments		*Page 11*	
Pessaries, Intra-Uterine		*Page 30*	
Pessaries, "Magnum"		*Page 30*	
Petrolanum (Hewlett's). *A pure soft Petroleum Jelly for Ointments*	M	lb.	1/2
Phenacetin		lb.	10/6
Phenazonum. *Antipyrin* 3/– oz.		lb.	34/6
Phenobarbitonum B.P.	S1.	oz.	4/3
Phenobarbitonum Solub. B.P.	S1.	oz.	4/3
Phenol B.P.		lb.	3/10
Phenol Liq. B.P.		lb.	2/7
Pig Powders		*Page 28*	
Pigment. Iodi Meth.		lb.	3/4
Pigment. Iodi Fort. Meth.	M	lb.	5/9
Pigment. pro Otorrhœa	M	lb.	3/9
Pills		*Page 24*	
Pilocarpin. Nitras	S1	1 g.	2/7
Pimenta Pulv.		lb.	4/3
Piper Alb. Pulv.		lb.	/
Piper Nig. Pulv.		lb.	/
Pix Barbadense. *Barbadoes Tar*		lb.	2/3
Pix Burgund.		lb.	3/5
Pix Liquid. *Stockholm Tar*		lb.	1/6
Plumbi Acetas B.P,		lb.	2/11
Plumbi Acetas Pulv. B.P.		lb.	3/–
Potassa Sulphurata		lb.	3/–
Potassa Sulphurata Gran.		lb.	3/3
Potassii Acetas		lb.	4/2
Potassii Bicarb. Gran.		lb.	1/10
Potassii Bicarb. Pulv.		lb.	1/10
Potassii Bromid. Gran. or Cryst.		lb.	4/–
Potassii Carbonas B.P.		lb.	3/6
Potassii Chloras Pulv.		lb.	4/6
Potassii Iodid.		lb.	21/–
Potassii Nit. Pulv.		lb.	1/10
Potassii Permang.		lb.	3/1
Potassii Tart. Acid. Pulv. *Cream of Tartar*		lb.	2/10
Pulv. Alkalinus *(See Pulv. Bismuth. Co.)*			
Pulv. Antimonialis	S1	lb.	7/6
Pulv. Aromaticus (Hewlett's). *A combination of spices and aromatics*	M	lb.	3/–
Pulv. Bismuth. Co.		lb.	5/6
Pulv. Derris Co.		lb.	/
Pulv. Glycyrrhiz. Co.		lb.	2/4
Pulv. Ipecac. Co. B.P.1914	S1	lb.	23/–

Quininæ Sulph. B.P.		oz.	6/6
Quittor Points. *Perchloride of Mercury*		doz.	1/3
Resina Flav. Opt.		lb.	1/8
Resina Flav. Opt. Pulv.		lb.	1/11
Resorcin		oz.	1/10
Rheum Ang. Pulv.		lb.	/
Rheum E.I. Pulv.		lb.	28/–
Sacch. Ust. Conc.		lb.	2/3
Sacch. Ust. Dil.		lb.	1/9
Salol		oz.	1/6
Santonin 56/– oz.		drm.	10/6
Sapo Castil.		lb.	/
Sapo Duras		lb.	/
Sapo Duras Pulv.		lb.	/
Sapo Liq. Toilet	M	lb.	/
Sapo Lubricant	M	lb.	2/6
Sapo Mercurial (Hewlett's)		lb.	7/6
Sapo Mollis Com'l.		lb.	1/3
Sapo Mollis Virid		lb.	2/1
Sarcogen		*Page 11*	
Scammoniæ Resin Pulv.		oz.	1/8
Scilla Pulv.		lb.	4/–
Sodii Bicarb. Pulv. 36/– cwt.		lb.	6d.
Sodii Bromid. B.P.		lb.	4/1
Sodii Carb. B.P.		lb.	8d.
Sodii Chlor. Pure		lb.	1/–
Sodii Citras B.P.		lb.	4/2
Sodii Fluorid.		lb.	2/3
Sodii Hydroxid. Sticks		lb.	6/–
Sodii Iodid. B.P.		lb.	23/3
Sodii Phosph. Acid. B.P.		lb.	2/11
Sodii Salicylas Pulv. or Cryst.		lb.	4/4
Sodii Sulphas. *Glauber Salts*		lb.	7d.
Sodii Sulphas Exsic.		lb.	1/–
Sodii Sulphis		lb.	1/1
Sodii Thiosulphate. *Hyposulphis*		lb.	10d.
"Soltabs" *Hewlett's Solution Tablets*		*Page 28*	
Spirit. Aetheris		lb.	8/3
Spirit. Aetheris Co.		lb.	10/7
Spirit. Aether Nitrosi .850		lb.	7/–
Spirit. Ammon. Aromat. B.P.		lb.	5/6
Spirit. Camphoræ		lb.	8/6
Spirit. Chirugicalis. *Surgical. colourless* 11/6 gal.		pint	1/10
Spirit. Chloroform.		lb.	7/3
Spirit. Vini Meth.		gal.	6/9
Spirit. Vini Meth. Industrial.		pt.	1/3
Staphisagria Pulv.	S1	lb.	4/6
Strychnina Cryst.	S1	oz.	8/6
Strychnina Pulv.	S1	oz.	8/6
Sulphanilamide. *Special prices for larger quantities*		lb.	13/– NET
Sulphur Præcip. B.P.		lb.	2/2
Sulphur Rotund. *Roll*		lb.	10d.
Sulphur Sublimatum B.P.		lb.	11d.
Sulphur Vivum. *Black Sulphur*		lb.	1/2
Syrupus B.P.		lb.	1/4
Syrup. Camph. Co.		lb.	2/7
Syrup. Chloral Hydrat.		lb.	3/6
Syrup. Codein. Phosph. B.P.C.		lb.	5/9
Syrup. Easton.		lb.	3/3
Syrup. Ephedrina. $\frac{1}{4}$ *gr. in* 1 *drachm*		lb.	3/10
Syrup. Ferri Phos. Co.		lb.	1/6
Syrup. Ferri Phos. Co. et Ficorum		lb.	2/–
Syrup. Ficus Co.		lb.	3/3

Syrup. Glycerophos. Co. B.P.C. ..		*lb.*	**3/1**
Syrup. Glycerophos. Co. Cherry Flavoured		*lb.*	**3/6**
Syrup. Hypophos. Co. B.P.C. ..		*lb.*	**2/2**
Syrup. Papav. B.P.C.		*lb.*	**2/9**
Syrup. Rhamni B.P.C.		*lb.*	**2/9**
Syrup. Rhœados B.P.C.		*lb.*	**2/10**
Syrup. Scillæ B.P.		*lb.*	**1/6**
Tablets, Compressed		*Page 26*	
Tablets, Hypodermic		*Page 20*	
Tænigen (Hewlett's). *For Worms in Dogs*	M	*lb.*	**17/6**
Tænigen Capsules		*Page 29*	
Tar, Stockholm. *See Pix Liquida* ..			
Teat Bougies		*Page 30*	
Teat Ointment		*Page 12*	
Tereb. Venet. Fact. B.P.C. ..		*lb.*	**2/9**
Theriaca. *Treacle*		*lb.*	**10d.**
Thymol		*oz.*	**2/9**
Tinct. Aconiti B.P.C.	S1	*lb.*	**7/9**
Tinct. Aconiti, Fleming's	S1	*lb.*	**9/–**
Tinct. Arnicæ B.P.C.		*lb.*	**5/6**
Tinct. Asafetidæ B.P.		*lb.*	**9/–**
Tinct. Belladonnæ		*lb.*	**6/9**
Tinct. Benzoin. Co. B.P.		*lb.*	**8/9**
Tinct. Buchu B.P.C.		*lb.*	**7/6**
Tinct. Calendulæ B.P.C.		*lb.*	**14/3**
Tinct. Cannabis Indica B.P. ..	DD	*oz.*	**4/5**
Tinct. Capsici B.P.		*lb.*	**6/–**
Tinct. Card. Co. B.P.		*lb.*	**5/10**
Tinct. Catechu		*lb.*	**5/–**
Tinct. Chlorof. et Morph. B.P.C. ..	S1	*lb.*	**4/9**
Tinct. Cinchonæ B.P.		*lb.*	**8/10**
Tinct. Cinchonæ Co. B.P.		*lb.*	**8/10**
Tinct. Colchici B.P.		*lb.*	**8/8**
Tinct. Conii		*lb.*	**11/–**
Tinct. Digitalis B.P.	S1	*lb.*	**7/–**
Tinct. Ergot Ammon. B.P. ..	S1	*lb.*	**20/3**
Tinct. Ferri Perchlor. B.P.C. ..		*lb.*	**2/9**
Tinct. Gentian. Co. B.P.		*lb.*	**4/7**
Tinct. Hydrastis B.P.C.		*lb.*	**19/–**
Tinct. Iodi. *See Liq. Iodi Mit.* ..			
Tinct. Iodi Decolor. Meth. *See Liq. Iodi. Decolor*			
Tinct. Ipecac. B.P.		*lb.*	**5/6**
Tinct. Jaborandi B.P.C.		*lb.*	**5/6**
Tinct. Lavand. Co. B.P.C.		*lb.*	**9/2**
Tinct. Myrrhæ B.P.		*lb.*	**10/2**
Tinct. Myrrh. Co. B.P.C.		*lb.*	**8/–**
Tinct. Nucis Vom. B.P.	S1	*lb.*	**4/3**
Tinct. Opii Camph. B.P.		*lb.*	**5/3**
Tinct. Opii B.P. 1898	DD	*lb.*	/
Tinct. Quininæ Ammon. *See Liquor*			
Tinct. Rhei Co. B.P.		*lb.*	**6/11**
Tinct. Scillæ B.P.		*lb.*	**5/2**
Tinct. Strophanthi B.P.	S1	*lb.*	**10/6**
Tinct. Zingib. Mit. B.P.		*lb.*	**9/9**
Tinct. Zingib. Fort. B.P.		*lb.*	**11/–**
Tonic Powders for Dogs		*Page 23*	
Tonic Powders for Horses ..		*Page 21*	
Tuberculin		*Page 32*	
Udder Ointment		*Page 12*	
Ung. Acid. Boric. B.P.		*lb.*	**2/3**
Ung. Acid. Boric. Flav.		*lb.*	**2/3**
Ung. Acid. Salicylic. B.P.		*lb.*	**3/4**
Ung. Althææ	M	*lb.*	**5/3**
Ung. Benzocain. Co. ½ *oz. tubes,* **10/6** *doz.*		*lb.*	**12/6**
Ung. Cupri Oleat. B.P.C.		*lb.*	**4/8**
Ung. Eucalypti B.P.C.		*lb.*	**4/2**
Ung. Hamamelidis B.P.		*lb.*	**3/7**
Ung. Hydrarg. Ammon. B.P. ..		*lb.*	**2/10**
Ung. Hydrarg. Iodid. Rub. ..	S1	*lb.*	**6/6**
Ung. Hydrarg. B.P.		*lb.*	**7/9**
Ung. Hydrarg. Co. B.P.		*lb.*	**7/8**
Ung. Hydrarg. Nitras Fort. ..	S1	*lb.*	**6/4**
Ung. Hydrarg. Nitras Dil. ..	S1	*lb.*	**3/3**
Ung. Hydrarg. Oleat. B.P. ..	S1	*lb.*	**5/3**
Ung. Hydrarg. Oxid. Flav. B.P.C.		*lb.*	**2/6**
Ung. Hydrarg. Oxid. Flav. Dil. ..		*lb.*	**2/2**
Ung. Iodermiol		*Page 10*	
Ung. Iodermiol c. Methyl Sal. ..		*lb.*	**7/6**
Ung. Iodi B.P.C.		*lb.*	**4/11**
Ung. Iodoformi		*lb.*	**10/–**
Ung. Iodi Denig.		*lb.*	**4/5**
Ung. Lanæ. *Wool Fat Ointment* ..		*lb.*	**3/–**
Ung. Petrolei Co.		*lb.*	**2/6**
Ung. Phenolis B.P.		*lb.*	**2/9**
Ung. Picis Liquida		*lb.*	**3/11**
Ung. Procain. Co. ½ *oz. tubes,* **10/6** *doz.*		*lb.*	**9/6**
Ung. pro Eczema, pink		*lb.*	**4/6**
Ung. pro Mastitis		*Page 12*	
Ung. pro Tinea		*lb.*	**4/–**
Ung. Resinæ		*lb.*	**4/–**
Ung. Resinæ Co.		*lb.*	**6/9**
Ung. Resinæ Co. Virid.		*lb.*	**6/9**
Ung. Resorcin. Co. B.P.C.		*lb.*	**7/–**
Ung. Sabinæ	S1	*lb.*	**6/4**
Ung. Sambuci Virid.		*lb.*	**6/8**
Ung. Staphisagriæ (Hewlett's) ..	M	*lb.*	**6/–**
Ung. Sulph. Co. B.P.C.		*lb.*	**3/4**
Ung. Sulph. Iodid. B.P.C.		*lb.*	**10/6**
Ung. Terebeni (Hewlett's). *Cooling and Antiseptic*		*lb.*	**3/4**
Ung. Zinci Co. c. Eucalypto. *Antiseptic Dressing*		*lb.*	**3/–**
Ung. Zinci Flav.		*lb.*	**2/3**
Ung. Zinci Oleat.		*lb.*	**5/9**
Ung. Zinci Oxid. B.P.		*lb.*	**2/6**
Vaccines and Sera		*Page 32*	
V.A.P.		*Page 12*	
Vin. Colchici		*lb.*	**11/–**
Vin. Ferri Cit. B.P.C.		*lb.*	**6/–**
Vin. Ipecac.		*lb.*	**10/–**
Vitonagen		*lb.*	**5/–**
Weed Killer Conc. *Non-poisonous*		*gal.*	**7/6**
Wheat Germ Oil. *See also page 29*		*oz.*	**5/6**
White Embrocation		*Page 9*	
Wound Dressing and Liniment ..		*Page 12*	
Xylenum B.P.C.		*lb.*	**2/–**
Zematine (Hewlett's). *For Eczema*		*lb.*	**5/–**
Zinci Chlor. sticks		*lb.*	**8/10**
Zinci Oxid. B.P.		*lb.*	**2/5**
Zinci Sulph. Pulv.		*lb.*	**1/–**
Zinci Sulph. B.P. Purif.		*lb.*	**1/8**
Zinci Sulphocarb.		*lb.*	**8/6**
Zingiber Pulv. (Afric.)		*lb.*	**8/9**
,, ,, (Jam.)		*lb.*	**8/9**

VETERINARY SPECIALITIES AND PACKED PRESCRIPTIONS

Supplied only to the Veterinary Profession.

Trade "ANÆSCO" Mark
Anæsthetic Compound.

A preparation of Procaine 1.5% with Butyl Aminobenzoate and Benzyl Alcohol in Oil. Specially prepared for Veterinary use.

For prolonged Epidural Anæsthesia in Horses and Cattle.

Indications.

Excessive straining caused by any Rectal or Vaginal irritation, and in cases of Prolapse of the Rectum, Vagina or Uterus where it is thought desirable to induce Anæsthesia for a period lasting upwards of 24 hours.

Method of Administration.

10-12 c.c. injected slowly between the first and second Coccygeal Vertebræ and repeated in 24 hours if necessary.

Prices and Packings, see page 15.

Trade "ANÆSCO" Mark
Ear Drops.

For the treatment of Ear Conditions in Small Animals.

Indications.

By virtue of its anæsthetic, emollient, penetrating and antiseptic properties it has been found to be of great value in the treatment of painful Otitis and cases of Otitis associated with acari, in cases of Otorrhœa where discharge is scanty and in Eczematous conditions of the external ear.

It has a marked soothing effect on the highly sensitive nerve supply of the ear and in acute irritable conditions precludes the subsequent risk of Convulsions and Hysteria.

In certain cases following its use Emesis has been alleviated by subsidence of Inflammatory processes in the middle and external auditory canal and it has been known to restore hearing in cases of Chronic Otitis associated with deafness.

Method of Administration.

Clean any excessive discharge from the affected ear and instil a few drops of "Anæsco" from the small bottle.

Prices and Packing.

Boxes of six 1-drachm bottles, labelled "The Ear Drops," to be used as directed.

4/9 each.

Bottles of 4 fl. ozs., **10**/– each.

ANTISEPTIC DRESSING

Contains Myrrh, Benzoin, Soap, etc. An admirable styptic and powerful Antiseptic Dressing for Cuts, Bruises, etc.

In 4 oz. bottles	.. .. ..	**20**/– per doz.
In 8 oz. ,,	.. .. ..	**33**/– ,,

ANTISEPTIGEN
(Hewlett's)

A most useful and powerful concentrated Liquid Antiseptic containing Hydrarg. Perchlor. It has proved to be of great value in Quittors, Fistula-Withers, Poll Evil, Foul Ulcers, Thrush in Horses' Feet, and for checking the flow of synovia. Full directions how to dilute Antiseptigen appear on the label.

Price **8/6** per lb.

ANTITHERMOGEN
(Hewlett's)

An antiseptic and absorbent dressing for Inflammation, Tendonitis, Sprains, etc.

As a substitute for the old-fashioned poultice, this preparation has many advantages. It is not an ointment, but when warmed, spread on lint, and applied to the affected part, acts as an antiseptic anodyne and absorbent.

It can be left on inflammatory parts for 12 to 24 hours.

Packed in metal containers. Labelled "The Dressing," with directions.

8 oz.	.. ..	**1/–**
1 lb.	.. ..	**1/9**

ASCARINE

Containing Ol. Chenopodii, Ol. Ricini, etc., for round worms in puppies and dogs.

Dose.

For adult dogs, one to two fluid drachms according to size. Puppies, half to one drachm, always after fasting.

Labelled "The Mixture," with directions.

In 2 oz. bottles	.. .. ..	**15/6** per doz.
In bulk	.. ..	**5/6** per lb.

BELLADONNA ELECTUARY

Containing Ext. Bellad. Virid. 6%

This useful preparation for Coughs and Colds is put up in lever-lid tins, labelled "The Electuary."

In 4 oz. tins	.. ..	**21**/– per doz.
In 8 oz. tins	.. ..	**36**/– ,,
In bulk ..	.. ..	**6**/– per lb.
In bulk, 14 lbs.	.. .. ..	**5/9** per lb.

BELLADONNA ELECTUARY No. 2

Containing Ext. Bellad. Virid. 1·5%

In 4 oz. tins	.. ..	**16**/– per doz.
In 8 oz. tins	.. ..	**27**/– ,,
In bulk ..	.. ..	**4/6** per lb.
In bulk, 14 lbs. ..	.. .. ..	**4/3** ,,

BLISTER OINTMENT

(Hewlett's Special)

With directions.

Green.

In 2 oz. tins	**17/6** per doz.
In bulk	**9/6** per lb.

Black.

In bulk	**6/6** per lb.

CALCIUM BORO-GLUCONATE INJECTION

(Hewlett's)

For the injection treatment of Milk Fever it is the quality of the injected solution and its Calcium content which is most important.

Hewlett's injection is a sterile, stable solution, free from solid particles and prepared under aseptic conditions. The calcium content never varies and veterinary surgeons can rest assured that they will obtain consistent results.

Doses.

Cattle, 200 to 400 c.c. Sheep and Pigs, 50 to 100 c.c. Dogs and Cats, 5 to 40 c.c., according to weight.

For prices, see page 15.

The Neo-Injector, see page 34.

CALCIUM BORO-GLUCONATE POWDER

In 2½ oz. packets	**15**/– box of 12
In 3 oz. packets	**17**/– ,,
In 3½ oz. packets	**19**/– ,,
In 4 oz. packets	**21**/– ,,
In bulk	**6/3** per lb.
In bulk, 7 lbs.	**6**/– ,,

M CALCIUM BORO-GLUCONATE P

(Hewlett's)

A stable solution of unvarying Calcium content sterile and free from solid particles, containing Phosphorus.

Indications.

Milk Fever, or other conditions where the blood Calcium and Phosphorus is reduced.

Method of Administration.

By intravenous or subcutaneous injection. Subcutaneously at two points, one on either side of the lower part of the neck; intravenously, very slowly with Aseptic precautions strictly observed.

Pharmacology.

Calcium Boro-gluconate P contains 20% of Calcium Boro-gluconate with the addition of inorganic Phosphorus.

In Milk Fever cases, the blood analysis often shows both Calcium and Phosphorus to be reduced, although keeping the same 2 : 1 Calcium/Phosphorus ratio as in normal bovine blood.

If the soft tissues have to supply their Phosphorus to the blood stream when Calcium alone is injected, in order to maintain the balance of 2 Calcium to 1 Phosphorus, it is possible that the Phosphorus may be withdrawn later, bringing the Calcium with it. This may establish a condition of Hypocalcæmia and a relapse is likely to occur.

By supplying this mineral balance in one injection, such possibility of relapse is largely reduced.

Dosage.

200-400 c.c., according to weight.

Prices and Packing.

400 c.c. Screw-capped bottles **38**/– doz. plus P.T. **9/4.**
90 fl. oz. Winchester Quarts **16**/– each plus P.T. **3/11.**

M CALCIUM BORO-GLUCONATE P-M

(Hewlett's)

This is as Calcium Boro-Gluconate P with the addition of Magnesium for cases of Milk Fever where Hypocalcæmia, Hypophosphatæmia and Hypomagnesæmia are present.

Prices and Packing.

400 c.c. Screw-capped bottles **38**/– doz. plus P.T. **9/4.**
90 fl. oz. Winchester Quarts **16**/– each plus P.T. **3/11.**

M CALCIUM BORO-GLUCONATE P-M-D

(Hewlett's)

This is as Calcium Boro-Gluconate P-M, but with the addition of 20% Dextrose, and is intended for administration in cases of Milk Fever, due to Hypocalcæmia, Hypophosphatæmia and Hypomagnesæmia complicated by Acetonæmia.

Prices and Packing.

400 c.c. Screw-capped bottles **48**/– doz. plus P.T. **12**/–
80 fl. oz. Winchester Quarts **21**/– each plus P.T. **5/2.**

CARBAMYLCHOLINE

(Hewlett's)

For cases of impaction of the cæcum and colon, and atony of the bowel.

It is related chemically to Choline, of which it is the urethane, and acts by parasympathetic stimulation, causing a rapid peristalsis. The action is similar to that of Acetylcholine, but is more persistent. Unlike Arecoline and Physostigmine, Carbamylcholine does not depress the circulation, and its action can be controlled by the injection of Atropine which is antagonistic to it.

Dosage.

All doses should be given fractionally by subcutaneous or intramuscular injection, and may be repeated after four to six hours if necessary.

Foals	½ c.c.
Cattle..	3 to 6 c.c.
Calves	1 to 2 c.c.

If it is necessary to control the action of the drug, up to ¼ gr. Atropine Sulphate may be given subcutaneously. Carbamylcholine should not be given to very old horses, to animals in the later stages of pregnancy or in cases of pulmonary disease.

For prices, see page 16.

COLCHICINE

(Hewlett's)

For Carcinoma, Sarcoma and other malignant growths in Dogs, Cats, Horses, etc.

Colchicine definitely arrests the growth of certain experimental tumours, and has been used with success clinically where surgical methods have failed.

Dosage.

1/40 mgm. subcutaneously every other day for one week. Subsequently, 1/20 mgm., gradually increased according to the case.

"Ampuliques" of 1/10. 1/5 and 1 mgm. are now issued.

For prices, see page 16.

COUGH MIXTURES

Mist. Tussis Canina.
Mist. Tussis Expectorans.
Mist. Tussis (Bruasco).

(*See Mixtures, page* 13.)

COUGH SYRUP

Mist. Morph. Co. Rub.

(*See Mixtures, page* 13.)

DIARRHŒA MIXTURE

Mist. Diarrhœa Canina.

(*See Mixtures, page* 13.)

DOG WASH, EUCALYPTUS

Strongly recommended in the treatment of skin diseases in dogs, as well as for the preservation of the coat, prevention of fleas, etc.

In 4 oz. flats	10/– per doz.
In 8 oz. flats	16/6 ,,
In bulk	2/6 per lb.
W.Qt.	2/4 ,,

M DUSTING POWDERS, ANTISEPTIC

No. 1. Containing Zinc, Boracic Acid, etc.

In 3 oz. drums	8/6 per doz.
In bulk	3/– per lb.

No. 2. Containing Zinc, Starch, etc., perfumed, white

In 3 oz. drums	12/6 per doz
In bulk	4/6 per lb

No. 3. Containing Iodoform, etc.

In 3 oz. drums	10/6 per doz.
In bulk	4/6 per lb.

D.D.T. DUSTING POWDER

Containing 5% D.D.T. Geigy.

In 2 oz. drums	9/– per doz.
In 12 oz. drums	2/3 each
7 lbs.	9/–

M I DUSTING POWDER, PARASITIC

Containing Gammexane.

n 3 oz. drums	12/– per doz.
In 1 lb. drums	2/6 each
7 lbs.	10/–

M EAR OINTMENTS FOR CANKER

For the treatment of Canker in the ears of Dogs and Cats. Packed in collapsible tubes.

No. 1. Containing Resorcin, Balsam Peru, etc.
Price, 6/6 per doz.

No. 2. Ung. Cupri Oleat.
Price, 6/6 per doz.
In bulk, **4/8** lb.

ECZEMA OINTMENT

Zematine (Hewlett's)

In pots with celluloid caps, labelled "The Ointment for Eczema," with directions.

In 2 oz. pots	14/6 per doz.
In bulk	5/– per lb.

ELIXIR PHENOBARB

A useful sedative for Dogs, especially recommended for Hysteria following Distemper, Chorea, Epilepsy, etc.

Contains Syrup. B.P. 180 mins., Phenobarbiton. B.P. 2 grs., Sp. Rect. B.P. 138 mins.

Doses : Pekinese and Toy Dogs, 5 to 20 mins., Terriers 30 to 60 mins., Medium sized Dogs 1 to 2 drachms, Large Dogs, 2 to 4 drachms, three times daily.

Price, 6/6 per lb.

EMULSIO KAOLIN CO.

In 4 oz. bottles, labelled "The Mixture," with directions.

n 4 oz. bottles..	8/– per doz.
n bulk	1/3 per lb.

EMULSIO OL. CHENOPODII

For Ascarides in Swine.

n 4 oz. bottles..	15/– per doz.
n bulk	3/6 per lb.

EMBROCATION, VETERINARY, WHITE

A stable Emulsion of Turpentine, Oils, Acetic Acid, etc., of proved utility for sprains, strains, curbs, broken knees, etc. Full directions on label.

In 4 oz. flat bottles	10/– per doz.
In 8 oz. flat bottles	17/– ,,
In bulk	2/6 per lb.

HEEL OINTMENT (PINK)

In 2 oz. tins	8/6 per doz.
In 4 oz. tins	13/–
In bulk	2/3 per lb.

HEWLETT'S
Antiseptic
CREAM

A pure emollient healing cream containing Oleate of Zinc, Boric Acid, Wool Fat, etc.

It is indicated in Eczema, Eruptions of the Skin and as an adjunct in cases of Otorrohœa in both Dogs and Cats. In small wounds about Dogs' paws and pedal eczema in Dogs, it should be spread on the smooth side of lint and applied with a bandage. It is also very useful in pruritic conditions.

1 lb. size **8/1**

In 2 drachm collapsible tubes, with long nozzles labelled "The Cream" .. .. .. **8/-** per doz.

HEWLIX
Brand Trade Mark
VITAMIN ELIXIR

A pleasant and palatable tonic readily taken by Dogs and Cats of all ages and especially valuable during convalescence.

Containing Vitamins A and D, Glycerophosphates, Organic Iron and Calcium, together with traces of Copper and Manganese.

Indicated in convalescence and debilitated conditions, particularly after illness or operations.

Doses.

Toy Dogs, Terriers, etc., half to one fluid drachm. Spaniels, Setters, etc., one to two fluid drachms. Large Dogs, two to four fluid drachms.

Prices.

4 oz. bottles labelled "The Mixture" .. **1/8** each
8 fl. oz. bottles .. .. **2/8** ,,
20 fl. oz. bottles .. .. **5/9** for dispensing only
90 fl. oz. bottles .. .. **24/-** ,, ,, ,,

HORMONIGEN ELIXIR
(Hewlett's)

A powerful and palatable preparation of the Hormones, Thyroid, Pituitary, Ovary and Testes, constituting a valuable remedy.

It has been used with success in the treatment of Bronchitis and Asthma, the animal being cured in one month.

This preparation has also been recommended for Arthritis and in certain Skin Diseases.

The dose for Terriers, etc., is one teaspoonful 3 or 4 times a day before food. Airedales may be given a dessertspoonful and larger dogs in proportion. Puppies half the above dose.

4 fl. oz. bottles labelled "Tonic Elixir for Dogs." .. .. **2/6** each
20 fl. oz. bottles .. .. **9/5** ,,
90 fl. oz. bottles .. .. **40/6** ,,

For Hormonigen Tablets, see page 27.

IODERMIOL OINTMENT
(Hewlett's)

An excellent non-staining iodine ointment for Capped Hocks, Spavin, Ringbone, etc.

2 oz. size .. .. **2/-** each
1 lb. size .. .. **8/3** ,,

IODERMIOL LINIMENT, STAINLESS
Lin. Iodermiol, Hewlett's

4 oz. bottles .. .. **18/6** per doz.
Labelled "Liniment for Cow's Udder."

In bulk .. .. **5/6** per lb.

Trade **HEWSOL** Mark

A safe and efficient germicide for all purposes, equally valuable in the home or the surgery. Non-poisonous, non-staining, pleasant and economical in use.

The bactericidal value is unusually high and its efficacy in the presence of organic matter is much greater than that of the carbolic type of disinfectant. It has no caustic action and strong concentrations may be applied to the skin without injury. For disinfecting the skin and hands before operation **Hewsol Cationic Cream** is recommended.

Hewsol has been used with great success as an application to wounds, as the dressing does not adhere and healing is rapid; also in parturition of Mares and Cows, especially in cases of retention of the placenta.

As a douche it is particularly efficient. Experience has proved it to be of especial value in Canine and Feline surgery.

4 fl. oz. bottles .. **1/-** plus Purchase Tax, **3d.**
8 fl. oz. bottles .. **1/8** ,, ,, ,, **5d.**
20 fl. oz. bottles .. **3/4** ,, ,, ,, **10d.**
1 gallon tins .. .. **14/2** for dispensing only

HEWSOL
Cationic Cream

A white, detergent and germicidal cream containing Cetyl Trimethyl-Ammonium Bromide which kills in low concentration a wide range of organisms pathogenic to man and animals. The cream is *odourless* and non-greasy.

A general prophylactic application before operations, parturition, etc., and as an ancillary measure to routine medication for the eradication of Bovine Mastitis.

Incompatibility.

Hewsol liquid contains soap solution and must not be used in conjunction with Hewsol Cationic Cream.

In 2 oz. collapsible tubes .. .. .. **2/3** each
In 1 lb. jars .. .. **7/6** ,,

M HEWSOL POWDER

Contains 2½% Hewsol. Has been used with success in the treatment of many kinds of wounds in animals. Also useful in the final stages of Canker.

In drums labelled "Antiseptic Dusting Powder. To be used as directed."

3 oz.	9/– per doz.
In bulk	1/6 per lb.

Hewsol Pessaries, see page 30.

MYROXLINE
(Hewlett's)

One of the most effective applications for the cure of Mange, Ringworm and allied affections in Dogs and Horses.

Directions.

Apply with a brush, rubbing well into the affected parts. One or two applications should be sufficient to effect a cure.

Price, 4/3 lb.

4 and 8 oz. bottles labelled "The Dressing."

In 4 oz. bottles	15/– per doz
In 8 oz. bottles	28/6 ,,

M PAROPHYROXIA
(Hewlett's)
Antiseptic. Purgative. Carminative.

Parophyroxia possesses these three distinct therapeutic powers and is indicated in all cases of Colitis caused by undigested food, or irritative affections of the alimentary canal, rendering it the safest and most satisfactory purgative in these cases. It is peculiarly adapted to those cases of Colic so frequently met with in aged horses, which are generally described as "gross feeders."

It is in these cases that Parophyroxia has a very marked effect in reducing the spasm, arresting fermentation and subduing the drum-like condition of the colon.

It should be borne in mind that as the drug is purgative in its action no physic ball should be administered, but to follow up the treatment some simple anti-spasmodic can be given if necessary.

Price, 5/– lb.

PENICILLIN, INTRA-MAMMARY
Injection for Mastitis

Packed in cartons of 6 single application tubes.

20,000 units	10/– per doz. tubes
Lots of 10 doz.	8/3 ,, ,, ,,
50,000 units	13/3 ,, ,, ,,
Lots of 10 doz.	12/3 ,, ,, ,,
100,000 units	18/– ,, ,, ,,
Lots of 10 doz.	16/– ,, ,, ,,

Special prices for larger quantities.

PENICILLIN OINTMENT

Containing 500 International Units per gramme.

2 drachm tubes (with nozzle)	12/6 per carton of 12
½ oz. tubes	13/– per doz.
1 oz. tubes	17/6 ,,
1 lb. jars	13/6 each

PENICILLIN OPHTHALMIC OINTMENT

B.P. sterilised, containing 1,000 International Units per gramme.

1 drachm tubes (with nozzle) .. 13/6 per doz.

PENICILLIN SULPHADIMIDINE
Intramammary Injection

A suspension of Penicillin 100.000 units and Sulphadimidine 1 gramme in an oil-wax basis.

Indications.

Indicated in cases of Bovine Mastitis where the infective organisms are mixed streptococci complicated by a secondary pathogen (except C. pyogenes).

Method of administration.

The affected quarter or quarters should be stripped. The udder and teat, especially the external os of the teat canal should be cleansed, preferably without the use of water, to avoid chapping. This is best effected by means of **Hewsol Cationic Cream,** which combines detergent and germicidal qualities.

In cartons of 6 tubes	22/– per doz. tubes
Lots of 10 doz.	20/– ,, ,, ,,

Special prices for larger quantities.

PETROLATINE Brand EMULSION WITH KAOLIN

A combination of Hewlett's Petrolatine brand pure medicinal liquid Paraffin with colloidal Kaolin for the absorbtion of intestinal toxins in colitis and similar infections.

8 fl. oz. bottles	1/8 each
90 fl. oz. bottles	13/6 ,,

SARCOGEN
(Hewlett's)

An effective lotion for all forms of Mange, and the destruction of parasites, lice, fleas and other vermin.

Sarcogen is non-staining and has practically no smell; it has been described as a very safe dressing and one which is clean, rapid and thoroughly good.

Method of Application.

Sarcogen may be applied undiluted and there is little difficulty in ensuring that the lotion penetrates thoroughly and so is able to exert its full effect. Care must be taken that none gets into the eyes, owing to the soapy basis, and it should not be applied to open cuts or wounds.

This preparation is not recommended for cats.

In severe cases where considerable cleansing is necessary, it is recommended that the animal first be given a soapy bath followed by one or two applications of Sarcogen, well rubbed in.

4 fl. oz. bottles labelled "The Lotion" with directions, ...	2/3 each
8 fl. oz. bottles	4/– ,,
20 fl. oz. bottles	8/9 ,,
90 fl. oz. bottles	36/5 ,,

M SKIN DRESSING FOR DOGS AND HORSES

with Sulphur

½ lb. in carton, with full directions.

For Parasitic Mange, and destroying lice, fleas, etc., in Horses, Cattle, etc.

In cartons, 8 oz.	**14/6** per doz.
In cartons, 4 oz. size for Dogs ..	**8/6** ,,
In bulk	**2/3** per lb.

With D.D.T.

In 4 oz. cartons	**9/6** per doz.
In 8 oz. cartons	**16/6** ,,
In bulk	**2/9** per lb.

With Derris.

In 4 oz. cartons	**12/–** per doz.
In 8 oz. cartons	**20/–** ,,
In bulk	**4/–** per lb.

M SKIN OINTMENT

Calamine and Sulphur.

In 1 oz. tubes	**5/6** per doz.
In 2 oz. tubes	**10/6** ,,
In bulk	**3/6** per lb.

SUMMER WEED OINTMENT No. 1

(UNG. PRO MASTITIS).

Containing Pix. Liquid, Adeps Lanæ Anhyd., Cera Flav., Ol. Arachis, Amyl. Acet.

In lever lid tins:

4 oz.	**14/–** per doz.
8 oz.	**25/–** ,,
1 lb.	**46/–** ,,

SUMMER WEED OINTMENT No. 2

Containing Paraffin Molle Flav., Paraffin Liq., Adeps Lanæ Anhyd., Bornyl Acet., Paradichlorbenzene, Cresol, Dimethylphthalate.

In lever lid tins:

4 oz.	**14/–** per doz.
8 oz.	**25/–** ,,
1 lb.	**46/–** ,,

TEAT OINTMENT, ANTISEPTIC

For Sore Teats, Cracks, Fissures, etc.

In 4 oz. drums	**13/6** per doz.
Gross	**13/–** ,,
In 8 oz. drums	**19/–** ,,
In 1 lb. drums	**36/–** ,,
In bulk	**2/6** per lb.

UDDER OINTMENT

Containing Extract of Belladonna, Iodine, etc.

In ¼ lb. drums	**12/–** per doz.
In ½ lb. drums	**22/–** ,,

In 1 lb. drums, labelled "The Ointment. To be used as directed" .. .. **40/–** per doz.

In bulk .. .. **3/–** per lb.

M V.A.P.

Brand of Veterinary Aperient Powder.

This **V**eterinary **A**perient **P**owder is particularly recommended for stimulating peristalsis in domestic animals. By suitably regulating the dosage, different degrees of action may be induced, ranging from mild laxative effects to drastic purgation.

The average purgative doses are as follows:

Horses	6 to 8 drachms
Pigs	3 to 6 drachms
Cows	6 to 8 drachms
Sheep	2 to 3 drachms
Dogs	10 to 60 grains

Packings.

In 4 drachm packets	**8/–** per doz.
In 1 lb. bottles	**15/6** each

M VERILEEN

Brand

BRILLIANT GREEN COMPOUND

Verileen is practically specific in Calf Scour caused by Bacterium Coli and in Diarrhœas and Dysenteries of the dog and cat in which Bacterium Coli is involved. It is useful in Scour in young pigs, and in many other intestinal conditions in which Bacterium Coli is either the etological agent or a secondary pathogen.

Dosage.

Dogs	5 to 20 grains three times daily
Cats	5 to 10 ,, ,, ,, ,,
Pigs	10 to 25 ,, ,, ,, ,,
Calves	25 to 50 ,, ,, ,, ,,

Excessive intake of water should be prevented during the treatment, which should be continued for 24 hours after apparent cure.

Prices and Packing.

Friable tablets, easily powdered.

Bottles of	25	100	500
5 grains	**1/–**	**2/3**	**9/–** each
10 grains	**1/3**	**3/–**	**12/6** ,,
25 grains	**1/9**	**4/6**	**20/–** ,,

WOUND DRESSING

A creosoted oily preparation which has been found very useful as a general treatment for wounds, sores, etc.

In bottles, with directions.

4 oz.	**10/6** per doz.
8 oz.	**18/6** ,,
In bulk	**2/9** per lb.

WOUND LINIMENT

An oily emulsion containing Flavine.

In bottles, with directions.

4 oz.	**14/–** per doz.
8 oz.	**24/–** ,,

MIXTURES

HEWLETT'S VETERINARY

No. M.89 MIST. ANTIDYSPEPTIC CONC.

Gastric sedative, also useful for enteritis and other intestinal disorders.

Contains Liq. Bism. et Ammon. Cit. B.P.C. 240 mins., Pepsin. B.P.C. 0.5 gr., Tinct. Nuc. Vom. B.P. 40 mins., Aq. Chlorof. Conc. B.P.C. 30 mins., Acid. Hydrocyan. Dil. B.P.C. 7.5 mins. in each fluid ounce.

Doses : Horses, 1 to 2 fluid ounces. Calves or Foals, ½ to 3 drachms according to age. Lambs, 20 to 30 minims. Sheep, 1 to 2 fluid drachms. Cats, 5 to 15 minims. Dogs, 10 to 60 minims. All the above doses to be suitably diluted.

Price, **7/9** per lb.

MIST. BISMUTH CO. VET.

See Mist. Bismuth Sed. Co.

No. M.92 MIST. BISMUTH. SED. CO.

Gastric sedative.

Contains Bism. Carb. B.P. 5 grs., Liq. Morph. Hydrochlor. B.P. 2½ mins., Sod. Sulphocarb. B.P.C. 2½ grs. in each fluid drachm.

Dose : 1 to 2 drachms according to size and age.

Price, **5/3** per lb.

No. M.155 MIST. BISMUTH. SALICYL. CO.

For White Scour in Calves.

Contains Bism. Salicyl. B.P. 1.7%, Kaolin B.P. 10.8%, Ol. Eucalypt. B.P. 0.02%.

Dose : 1 to 2 tablespoonfuls with an equal quantity of warm water.

Price, **3/6** per lb.

No. M.156 MIST. BISMUTH. SALICYL. CO. WITH BRILLIANT GREEN.

For White Scour in Calves.

Contains Bism. Salicyl. B.P. 1.7%, Kaolin B.P. 10.8%, Ol. Eucalypt. 0.02%, Brilliant Green B.P. 0.02%.

Dose : 1 to 2 tablespoonfuls with an equal quantity of warm water.

Price, **3/6** per lb.

In 8 oz. bottles labelled "The Mixture," **25**/– per doz.

No. M. 157 MIST. CALCII CHLOR. C. FERRO

A neutral chemical food, free from sugar or Astringency and nearly tasteless. Used with great success as a general tonic. Contains Ferr. Perchlor. B.P.C. 0.5 gr., Calc. Chlorid. 12 grs., Aq. Camph. Conc. B.P.C. 6 mins., Sp. Chlorof. B.P. 6 mins., Liq. Ammon. Aromat. B.P.C. 3 mins. in each fluid ounce.

Doses : Small Dogs, ½ to 1 drachm. Large Dogs, 2 drachms.

Price, **1/5** per lb.

No. M. 158 MIST. CHENOPODII CO.

Anthelmintic for Worms in Horses.

Contains Ol. Chenopod. B.P.C. 12 mins., Ol. Terebinth. B.P. 48 mins., Ol. Lini. B.P. to 1 fluid drachm.

Dose : 10 ozs. to be given after 24 hours fasting. Yearlings, 1 to 2 ounces.

Price, **5**/– per lb.

In 10 oz. bottles labelled "The Draught," with dose, **44**/– per doz.

No. M.159 MIST. COTO CO.

An excellent remedy in Canine Diarrhœa, etc.

Contains Resorcin B.P. 1 gr., Liq. Hydrarg. Perchlor. B.P. 16 mins., Tinct. Coto B.P.C. 45 mins., Sp. Chlorof. B.P. 15 mins. in each fluid ounce.

Dose : 1 to 4 drachms every 2 or 3 hours, according to the size and age of the dog, until the symptoms subside.

Price, **3/4** per lb.

No. M.160 MIST. CRETÆ c. CREOSOTI CO.

For White Scour and in Stomachic and Intestinal Affections of Calves, Foals, etc.

Contains Ext. Hæmatox. Liq. B.P.C. 20 mins., Tinct. Catech. B.P. 80 mins., Tinct. Zingib. Mit. B.P. 48 mins., Creosot. B.P. 3.5 mins., Tinct. Opii B.P. 40 mins., Cret. B.P. 48 grs., Syrup. B.P. 150 mins. in each fluid ounce.

Doses : Calves, Foals and Lambs, 1 day to 1 week old, 1 drachm ; 1 week to 1 month, 2 drachms ; increased according to the age and condition of the patient. Sheep, 3 to 4 drachms. Swine, 2 to 4 drachms.

Before giving the mixture, a dose of Castor O administered in milk is advisable.

Price, **4**/– per lb.

In 8 oz. bottles labelled "The Mixture," with doses. **33**/– per doz.

No. M.161 MIST. DIAMORPH. CO. CONC.

For Coughs, Bronchitis, Laryngitis, Pneumonia, etc., in Horses and Dogs.

Contains Terpin. Hydr. B.P.C. 0.375 gr., Alcoh. B.P. 60 mins., Glycerin. B.P. 60 mins., Oxymel. Scill. B.P. 240 mins., Syr. Tolu. B.P. 120 mins., Diamorph. Hydrochlor. B.P. 0.40 gr. in each fluid ounce.

Doses : Horses, 1 oz. every 2 or 3 hours. Dogs, 10 to 30 drops at intervals of 2 to 4 hours.

Price, **5/6** per lb.

No. M.162 MIST. DIAMORPH. CO. RUB.

For Coughs, Bronchitis, Laryngitis, Pneumonia, etc., in Horses and Dogs.

Contains Diamorph. Hydrochlor. B.P. ⅙ gr., Alcoh. B.P. 30 mins., Terpin. Hydr. B.P.C. 0.44 gr., Syr. B.P. 240 mins., Glycerine B.P. 200 mins. in each fluid ounce.

Doses : Horses, 2 ozs. every 2 or 3 hours. Dogs, 20 to 60 drops at intervals of 2 to 4 hours.

Price, **6**/– per lb.

No. M.163 MIST. DIARRHŒA CANINA

For Diarrhœa in Dogs particularly following Distemper.

Contains Inf. Caryoph. Conc. B.P. 42 mins., Acid. Sulph. Aromat. B.P.C. 42 mins., Syr. Zingib. B.P. 144 mins., Dec. Hæmatox. B.P.C. to 1 fluid ounce.

Dose : 1 to 4 drachms according to the size of the Dog three times a day.

Price, **3**/– per lb.

In 3 oz. bottles, **10**/– per doz.

No. M.164 MIST. HEXAMINÆ CO.

For Colds, Chills, Colic, Gripes, Inflammations, Scour or Udder Ill.

Contains Hexamin. B.P. 8%, Liq. Ammon. Fort. B.P. 0.8%, Camphor. B.P. 0.27%, Pot. Nitras B.P. 12%.

Doses : Cows and Horses, 4 tablespoonfuls three times a day in a pint of cold water. Sheep and Pigs, 2 tablespoonfuls three times a day in ½ pint of cold water. Animals should be kept warm and allowed plenty of fresh air.

Price, **1**/**6** per lb., **9**/– per gallon.

In 12 oz. bottles labelled "The Cattle Medicine," **15**/**6** per doz.

No. M.165 MIST. KOLÆ CO.

An excellent Tonic, Stimulant and Restorative for Horses and Dogs.

Contains Ext. Cocæ Liq. B.P.C. 10 mins., Ext. Kolæ Liq. B.P.C. to 1 fluid ounce.

Doses : For Horses, a wineglassful in food morning and night every day for a week. For Dogs, a dessertspoonful to a tablespoonful according to the weight of the dog, twice daily in food for a week.

Price, **7**/**2** per lb.

No. M.166 MIST. MORPH. CO. RUB.

For Coughs, Bronchitis, Laryngitis, Pneumonia, etc., in Horses and Dogs.

Contains Terpin. Hydr. B.P.C. ½ gr., Morph. Acet. B.P.C. 0.156 gr., Glycerin. B.P. 200 mins., Syr., B.P. 240 mins., Sp. Chlorof. B.P. 6 mins., Alcoh. 30 mins. in each fluid ounce.

Doses : Dogs, 20 to 60 drops at intervals of 2 to 4 hours. Horses, 2 ozs. every 2 or 3 hours.

Price, **6**/– per lb.

In 2 oz. bottles, **11**/**6** per doz.

No. M.168 MIST. PRO CHOREA CONC. 1-7

1 oz. added to 7 ozs. of water forms the following mixture : Ammon. Brom. B.P.C. 1 gr., Strontii Brom. B.P.C. 1 gr., Chloral Hydr. B.P. 1 gr., Tinct. Sumbul. B.P.C. 3 mins., Aq. Chlorof. and Aq. Anisi to 1 oz.

Dose of the diluted mixture : for Dogs of small size, 1 teaspoonful ; medium size, 1 dessertspoonful ; large size, 1 tablespoonful or more.

Price, **3**/**6** per lb.

No. M.169 MIST. PRO HUSK OR HOOSE

For the prevention and cure of Husk in Calves and Lambs.

Contains Sap. Moll. B.P. 3 grs., Ol. Terebinth. B.P. 36 mins., Ol. Succin. B.P.C. 3 mins., Creosot. 3 mins. in each fluid ounce.

Doses : For calves 3 months old, 1 oz., more or less according to age up to 2 ozs. For Lambs, 1 to 2 months old, 1 drachm ; 3 months and upwards, 2 drachms.

Price, **1**/**9** per lb., **7**/**6** per gallon.

No. M.170 MIST. TONICA CONC.

Invaluable as a general Tonic in Extreme Debility, especially in the convalescent stage after an extreme illness, such as Pneumonia, Typhoid, Influenza, etc.

Contains Quinin. B.P.C. 5.4 grs., Acid. Sulph. Dil. B.P. '32 7.5 mins., Liq. Ferr. Perchlor. B.P. 360 mins. in each fluid ounce.

Doses : Horses, 1 to 2 ozs. diluted with water to 6 ozs., twice daily. Cattle, 2 ozs. diluted with water to 8 ozs., twice daily. Dogs, 1 or 2 drachms diluted with water to 1 oz., twice daily.

Price, **3**/**6** per lb.

No. M.127 MIST. TUSSIS ALKALINA

A palatable and effective Cough Mixture.

Contains Ext. Scill. Liq. B.P.C. 8 mins., Ext. Glycyrrh. B.P.C. 100 grs., Ammon. Chlorid. B.P. 32 grs., Ammon. Carb. B.P. '32 10 grs., Tinct. Capsic. B.P. 5 mins., Chlorof. B.P. 2 mins. in each fluid ounce.

Doses : For Cats and Toy Dogs, 15 mins. Terriers, small Spaniels, etc., 30 mins. Big Dogs, Setters, Alsatians, etc., 60 mins. All the above doses to be diluted to four times the quantity with water.

Price, **1**/**8** per lb.

No. M.171 MIST. TUSSIS (BRUASCO)

Cough Mixture for Horses and Cattle.

Contains Strych. Arsenat. 1 gr., Veratrin. 2 grs., Ferr. et Ammon. Cit. Virid. B.P. 30 grs. in each fluid ounce.

Dose : 1 to 4 drachms.

Price, **5**/– per lb.

In 4 oz. bottles labelled "The Mixture," with dose, **17**/**6** per doz.

No. M.116 MIST. TUSSIS CANINA

Cough Mixture for small Dogs.

Contains Ammon. Carb. B.P. '32 9 grs., Glycerin. B.P. 40 mins., Antim. et Pot. Tart. B.P. $\frac{1}{12}$ gr., Tinct. Ipecac. B.P. 20 mins., Sp. Chlorof. B.P. 16 mins., Mel Depur. 120 mins. in each fluid ounce.

Dose : 1 to 2 teaspoonfuls according to age.

Price, **3**/**6** per lb.

In 2 oz. bottles, **8**/**6** per doz. 4 oz. bottles, **16**/– per doz.

No. M.115 MIST. TUSSIS EXPECTORANS

A reliable Cough Mixture for small animals.

Contains Tinct. Ipecac. B.P. 64 mins., Liq. Ammon. Acet. Fort. B.P. 24 mins., Sp. Chlorof. B.P. 5 mins., Liq. Aethyl. Nit. B.P.C. 40 mins., Syr. Cerasi B.P.C. 200 mins. in each fluid ounce.

Doses : Small Dogs, Pekinese, etc., 30 mins. Terriers, etc., 1 fluid drachm three or four times a day.

Price, **2**/**3** per lb.

In 2 oz. bottles, **7**/**6** per doz.

HEWLETT'S INJECTIONS

When ordering by reference number, please state size and packing required, e.g., A.102, 1 c.c., box of 12.

				Professional Price Tax Extra	Purchase Tax
	A.102 **Adrenalin** (1 in 1000)				
		1 c.c. "Ampuliques"	Box of 12	**4/11**	—
		Rubber-capped bottles	1 fl. oz.	**3/2**	—
		Rubber-capped bottles	2 fl. ozs.	**5/7**	—
	A.103 **"Anæsco"** (Oil Soluble Anæsthetic)				
		2 c.c. "Ampuliques"	Box of 6	**4/–**	—
		Rubber-capped bottles	2 fl. ozs.	**13/6**	—
	A.166 **Arecoline,** 1 gr. in 30 minims				
		Rubber-capped bottles	1 fl. oz.	**5/5**	—
Sl	A.167 **Arecoline Compound**				
	Arecoline 1/2 gr. Eserine (Physostigmine) 1/2 gr. Strychnine 1/6 gr.	2 c.c. "Ampuliques"	Box of 12	**13/6**	—
	A.168 **Arecoline Hydrobromide,** 1/2 gr.				
		1 c.c. "Ampuliques"	Box of 12	**4/11**	—
	A.169 **Arecoline Hydrobromide,** 1 gr.				
		1 c.c. "Ampuliques"	Box of 12	**7/2**	—
	A.170 **Arecoline Hydrobromide,** 2 gr.				
		1 c.c. "Ampuliques"	Box of 12	**9/5**	—
Sl	A.171 **Atropine,** 1 gr. in 60 minims				
		Rubber-capped bottles	1 fl. oz.	**2/8**	—
Sl	A.105 **Atropine Sulphate,** 1/150 gr.				
		1 c.c. "Ampuliques"	Box of 12	**4/11**	—
Sl	A.106 **Atropine Sulphate,** 1/100 gr.				
		1 c.c. "Ampuliques"	Box of 12	**4/11**	—
Sl	A.107 **Atropine Sulphate,** 1/75 gr.				
		1 c.c. "Ampuliques"	Box of 12	**4/11**	—
Sl	A.172 **Atropine Sulphate,** 1/2 gr.				
		2 c.c. "Ampuliques"	Box of 12	**5/9**	—
	A.173 **Caffein Sodium Salicylate,** 3 gr.				
		1 c.c. "Ampuliques"	Box of 6	**3/4**	—
		1 c.c. "Ampuliques"	Box of 12	**6/3**	—
	A.174 **Calcium Boro-Gluconate** 20%				
		200 c.c. screw-capped bottles ..	Doz.	**24/–**	—
		400 c.c. screw-capped bottles ..	Doz.	**36/–**	—
		90 fl. ozs., Winchester Quarts ..	Each	**15/–**	—
	A.175 **Calcium Boro-Gluconate,** 40%				
		400 c.c. screw-capped bottles ..	Doz.	**51/–**	—
		80 fl. ozs. Winchester Quarts ..	Each	**24/–**	—

			Professional Price Tax Extra	Purchase Tax
A.176 Calcium Boro-Gluconate P				
	400 c.c. screw-capped bottles ..	Doz.	38/–	9/4
	90 fl. ozs. Winchester Quarts ..	Each	16/–	3/11
A.177 Calcium Boro-Gluconate P-M				
	400 c.c. screw-capped bottles ..	Doz.	38/–	9/4
	90 fl. ozs. Winchester Quarts ..	Each	16/–	3/11
A.178 Calcium Boro-Gluconate P-M-D				
	400 c.c. screw-capped bottles ..	Doz.	48/–	12/–
	80 fl. ozs. Winchester Quarts ..	Each	21/–	5/2
A.179 Calcium Boro-Gluconate, 20% with Magnesium				
	400 c.c. bottles	Each	3/6	—
	90 fl. ozs. Winchester Quarts ..	Each	18/–	—
A.110 Camphor in Oil, 1 gr.				
	1 c.c. "Ampuliques"	Box of 6	2/8	—
	1 c.c. "Ampuliques"	Box of 12	4/11	—
A.111 Camphor in Oil, 3 gr.				
	1 c.c. "Ampuliques"	Box of 6	2/11	—
	1 c.c. "Ampuliques"	Box of 12	5/5	—
	Rubber-capped bottles	2 fl. ozs.	3/–	—
A.180 Camphor in Oil, 30 gr.				
	10 c.c. "Ampuliques"	Box of 6	5/5	—
	10 c.c. "Ampuliques"	Box of 12	9/5	—
A.112 Camphor and Ether in Oil, 1 gr.				
	1 c.c. "Ampuliques"	Box of 6	3/6	—
	1 c.c. "Ampuliques"	Box of 12	6/8	—
	Rubber-capped bottles	2 fl. ozs.	3/6	—
A.113 Camphor and Ether in Oil, 3 gr.				
	1 c.c. "Ampuliques"	Box of 6	3/6	—
	1 c.c. "Ampuliques"	Box of 12	6/8	—
	Rubber-capped bottles	2 fl. ozs.	3/6	—
A.181 Carbamylcholine, 1 in 1000				
	2 c.c. "Ampuliques"	Box of 12	6/1	—
	Rubber-capped bottles	2 fl. ozs.	5/10	—
SI **A.182 Cardiac Tonic** (See also Digitalis Compound)				
Digitalin 1/10 gr. Sparteine Sulph.. 1/5 gr. Strychnine Sulph. 1/8 gr.				
	1 c.c. "Ampuliques"	Box of 6	2/11	—
	1 c.c. "Ampuliques"	Box of 12	5/5	—
A.183 Colchicine, 1/40 mgm.				
	1 c.c. "Ampuliques"	Box of 6	2/11	—
	Rubber-capped bottles	1 fl. oz.	2/6	—
A.184 Colchicine, 1/10				
	1 c.c. "Ampuliques"	Box of 6	3/4	—
	Rubber-capped bottles	1 fl. oz.	2/11	—
A.185 Colchicine, 1 mgm.				
	1 c.c.	Box of 6	3/4	—
	Rubber-capped bottles	1 fl. oz.	2/11	—
DD **A.186 Colic No. 1**				
Morphine Sulphate 2, gr. Atropine Sulphate, 1/4 gr. Aconitine Nitrate, 1/40 gr				
	2.5c.c. "Ampuliques"	Box of 12	8/6	—

			Professional Price Tax Extra	Purchase Tax
SI	A.115 **Digitalin,** 1/100 gr.			
	1 c.c. "Ampuliques"	Box of 6	3/2	—
	1 c.c. "Ampuliques"	Box of 12	5/7	—
SI	A.187 **Digitalis Compound** (Heart Tonic and Stimulant)			
	Tinct. Digitalis, 1 minim Tinct. Strophanth., 1 minim Tinct. Belladon., 1/8 minim Caffein Citrate, 1/4 gr.			
	1 c.c. "Ampuliques"	Box of 12	5/5	—
SI	A.120 **Ergometrine,** 0.5 mgm.			
	1 c.c. "Ampuliques"	Box of 6	7/8	—
	1 c.c. "Ampuliques"	Box of 12	13/6	—
	A.188 **Glucose (Dextrose),** 20%			
	400 c.c. screw-capped bottles ..	Each	2/6	—
	90 fl. ozs. Winchester Quarts ..	Each	12/6	—
	A.189 **Glucose (Dextrose),** 40%			
	400 c.c. screw-capped bottles ..	Each	3/7	—
	80 fl. ozs. Winchester Quarts ..	Each	15/–	—
	A.190 **Glucose Saline**			
	20 fl. ozs. screw-capped bottles ..	Each	3/2	—
SI	A.124 **Hyoscine Hydrobromide,** 1/100 gr.			
	1 c.c. "Ampuliques"	Box of 12	5/4	—
	A.191 **Local Anæsthetic (Hewlett's Special)**			
	Rubber-capped bottles	2 fl. ozs.	4/6	—
	A.192 **Magnesium Dextrose**			
	200 c.c. screw-capped bottles ..	Each	2/6	—
	400 c.c. screw-capped bottles ..	Each	3/6	—
	90 fl. ozs. Winchester Quarts ..	Each	18/–	—
	A.193 **Magnesium Sulphate,** 25%			
	400 c.c. screw-capped bottles ..	Each	3/–	—
	A.194 **Manganese Butyrate,** 5%			
	0.3 c.c. "Ampuliques"	Box of 12	3/7	—
	2.5 c.c. "Ampuliques"	Box of 12	11/6	—
	Rubber-capped bottles	2 fl. ozs.	12/2	—
	A.131 **Manganese** (Colloidal) 0.25%			
	1 c.c. "Ampuliques"	Box of 6	3/2	—
	Rubber-capped bottles	Per oz.	2/8	—
DD	A.132 **Morphine,** $\frac{1}{4}$ gr.			
	1 c.c. (Morphine Sulphate)	Box of 6	2/11	
	1 c.c. (Morphine Sulphate)	Box of 12	5/5	—
	Rubber-capped bottles (Morphine Sulphate) $\frac{1}{4}$ gr. in 1 c.c. ..	1 fl. oz.	3/4	—
DD	A.133 **Morphine,** $\frac{1}{2}$ gr.			
	1 c.c. (Morphine Sulphate)	Box of 6	3/2	
	1 c.c. (Morphine Sulphate)	Box of 12	5/7	
	Rubber-capped bottles (Morphine Sulphate) $\frac{1}{2}$ gr. in 1 c.c. ..	1 fl. oz.	4/4	

		Professional Price Tax Extra	Purchase Tax
DD A.134 **Morphine,** 1 gr.			
2 c.c. (Morphine Sulphate)	Box of 6	3/4	—
2 c.c. (Morphine Sulphate)	Box of 12	5/9	—
Rubber-capped bottles (Morphine Acetate) 1 gr. in 1 c.c. ..	1 fl. oz.	6/4	—
DD A.195 **Morphine,** 2 gr.			
2.5 c.c. (Morphine Sulphate)	Box of 12	6/5	—
DD A.196 **Morphine,** 4 gr.			
5. c.c. (Morphine Sulphate)	Box of 6	4/6	—
5 c.c. (Morphine Sulphate)	Box of 12	8/1	—
DD A.135 **Morphine and Atropine**			
Morphine Sulphate, ¼ gr. / Atropine Sulphate, 1/100 gr.			
1 c.c.	Box of 6	3/2	—
1 c.c.	Box of 12	5/7	—
Rubber-capped bottles	1 fl. oz.	4/4	—
DD A.136 **Morphine and Atropine**			
Morphine Sulphate, ½ gr. / Atropine Sulphate, 1/100 gr.			
1 c.c.	Box of 6	3/4	—
1 c.c.	Box of 12	5/9	—
DD A.137 **Morphine and Atropine**			
Morphine Sulphate, ½ gr. in 1 c.c. / Atropine Sulphate, 1/75 gr. in 1 c.c.			
Rubber-capped bottles	1 fl. oz.	5/4	—
DD A.197 **Morphine and Atropine**			
Morphine Sulphate, 1 gr. / Atropine Sulphate, 1/20 gr.			
2 c.c. "Ampuliques"	Box of 12	6/3	—
DD A.198 **Morphine and Atropine** (See also Colic No. 1)			
Morphine Sulphate, 2 gr. / Atropine Sulphate, 1/8 gr.			
2.5 c.c. "Ampuliques"	Box of 12	7/–	—
DD A.199 **Morphine and Atropine**			
Morphine Sulphate, 4 gr. / Atropine Sulphate, 1/4 gr.			
5 c.c. "Ampuliques"	Box of 6	5/–	—
DD A.211 **Morphine,** 5% **and Atropine,** 0.5%			
Rubber-capped bottles	2 fl. ozs.	10/9	—
DD A.210 **Morphine,** 5% **and Hyoscine,** 0.5%			
Rubber-capped bottles	2 fl. ozs.	11/8	—
DD A.138 **Morphine and Hyoscine**			
Morphine Hydrochlor., 1/4 gr. / Hyoscine Hydrobrom., 1/150			
1 c.c. "Ampuliques"	Box of 6	3/2	—
1 c.c. "Ampuliques"	Box of 12	5/7	—
A.139 **Nicotinamide** (20 mgm. per c.c.)			
3 c.c. "Ampuliques"	Box of 6	4/–	—
Rubber-capped bottles	1 fl. oz.	6/1	—
A.140 **Normal Saline**			
10 c.c. "Ampuliques"	Box of 6	4/9	—
20 fl. ozs. screw-capped bottles ..	Each	2/8	—

			Pro-fessional Price Tax Extra	Purchase Tax
A.141 **Novocain,** 2%	Rubber-capped bottles	1 fl. oz.	**3/7**	—
A.200 **Nuclein,** 5%	Rubber-capped bottles	1 fl. oz.	**2/8**	—
A.201 **P.A.B.S.,** 5% **(Hewlett's Sulphonamide)**	100 c.c. Rubber-capped bottles ..	Each	**5/5**	—
A.202 **Phenolphthalein,** 1 gr. in 20 minims (for pigs)	Rubber-capped bottles	2 fl. ozs.	**5/4**	—
A.145 **Pituitary (Post. Lobe) Extract P.,** (10 Int. Units in 1 c.c.)	1 c.c. "Ampuliques"	Box of 12	**6/3**	—
	Rubber-capped bottles	25 c.c.	**5/3**	—
A.146 **Procaine,** 2%	Rubber-capped bottles	1 fl. oz.	**2/8**	—
A.147 **Procaine,** 2% with **Adrenalin,** 1 in 50000 Inj. Procain. et Adrenal. Fort B.P.	Rubber-capped bottles	1 fl. oz.	**2/11**	—
A.148 **Procaine,** 5%	Rubber-capped bottles	2 fl. ozs.	**5/3**	—
A.203 **Procaine,** 5% with **Adrenalin,** 1 in 10000	Rubber-capped bottles	2 fl. ozs.	**6/3**	—
A.204 **Spleen,** 40%	Rubber-capped bottles	2 fl. ozs.	**14/4**	—
A.205 **Stilboestrol,** 1 mgm. per c.c.	100 c.c. bottles	Each	**5/5**	—
A.154 **Stilboestrol Dipropionate,** 5 mgm.	1 c.c. "Ampuliques"	Box of 6	**3/–**	—
A.206 **Stilboestrol Dipropionate,** 10 mgm. per c.c.	Rubber-capped bottles	2 fl ozs.	**19/–**	—
SI A.155 **Strophanthin,** 1/100 gr.	1 c.c. "Ampuliques"	Box of 6	**3/–**	—
SI A.207 **Strychnine,** 1 gr. in 60 minims	Rubber-capped bottles	2 fl. ozs.	**2/8**	—
SI A.156 **Strychnine Sulphate,** 1/100	1 c.c. "Ampuliques"	Box of 12	**5/4**	—
SI A.157 **Strychnine Sulphate,** 1/60 gr.	1 c.c.	Box of 12	**5/4**	—

			Pro-fessional Price Tax Extra	Purchase Tax
Sl	A.158 **Strychnine Sulphate,** 1/30 gr.			
	1 c.c.	Box of 12	**5/4**	—
Sl	A.208 **Strychnine Sulphate,** 1/2 gr.			
	2 c.c. "Ampuliques"	Box of 12	**5/9**	—
Sl	A.209 **Strychnine Sulphate,** 1 gr.			
	5 c.c. "Ampuliques"	Box of 6	**3/4**	—
	A.160 **Vitamin A,** 75000 Internat. Units, 1 c.c.			
	1 c.c.	Box of 6	**8/1**	—
	A.161 **Vitamin B_1,** 5 mgm., 1600 Internat. Units			
	1 c.c.	Box of 6	**4/1**	—
	1 c.c.	Box of 12	**6/7**	—
	A.162 **Vitamin B_1,** 25 mgm., 8000 Internat. Units			
	1 c.c.	Box of 6	**7/5**	—
	1 c.c.	Box of 12	**13/1**	—
	A.163 **Vitamin C,** 100 mgm., 2000 Internat. Units			
	2 c.c.	Box of 6	**6/9**	—
	A.164 **Vitamin D,** 15000 Internat. Units			
	1 c.c.	Box of 6	**6/9**	—
	A.165 **Water, Sterile Distilled**			
	5 c.c. "Ampuliques"	Box of 6	**2/8**	—
	10 c.c. "Ampuliques"	Box of 6	**4/–**	—
	Rubber-capped bottles	2 fl. ozs.	**1/3**	—

New Process. # HYPODERMIC TABLETS **Very Soluble.**

In tubes of six tablets except when otherwise stated, e.g. (20). Each tablet to be dissolved in boiled water, 1 c.c. to 5 c.c. according to the amount of the drug present.

Arecoline $\frac{1}{2}$ gr.	*S1*	**2/–**
,, 1 gr.	*S1*	**2/9**
,, 2 gr.	*S1*	**4/–**
Arecoline Compound (Arecoline $\frac{1}{2}$ gr., Physostigmine $\frac{1}{2}$ gr., Strychnine $\frac{1}{8}$ gr.)	*S1*	**5/6**
Atropine 1/5 gr.	*S1*	**9d.**
,, $\frac{1}{2}$ gr.	*S1*	**1/6**
Caffeine $\frac{1}{2}$ gr. (20)		**1/3**
Cardiac Tonic (Digitalin pure 1/10 gr., Spartein Sulph. 1/5 gr., Strychnin. Sulph. $\frac{1}{8}$ gr.)	*S1*	**2/–**
Colic No. 1 (Aconitin. Nit. 1/40 gr., Morphin. Sulph. 2 grs., Atropin. Sulph. $\frac{1}{4}$ gr.)	*DD*	**3/–**
Digitalin 1/100 gr. (20) ..	*S1*	**1/3**
Eserine (Physostigmine) $\frac{1}{2}$ gr.	*S1*	**4/6**
1 gr.	*S1*	**8/6**
Eserine and Pilocarpine (Eserine $\frac{1}{2}$ gr., Pilocarpine 1 gr.)	*S1*	**5/–**
Heart Tonic and Stimulant (Tinct. Digitalis m.1, Tinct. Strophanth. m.1, Tinct. Bellad. m.$\frac{1}{8}$, Caffein Cit. gr. $\frac{1}{4}$)	*S1*	**1/3**
Morphine $\frac{1}{8}$ or 1/10 gr. (20) ..	*DD*	**1/3**
,, 1 gr.	*DD*	**1/6**
,, 2 gr.	*DD*	**2/9**
Morphine and Atropine (Morphine 1/6 gr., Atropine 1/180 gr.) (20)	*DD*	**1/6**
(Morphine 1 gr., Atropine 1/10 gr.)	*DD*	**1/9**
(Morphine 2 grs., Atropine 1/5 gr.)	*DD*	**3/3**
Pilocarpine $\frac{1}{2}$ gr.	*S1*	**1/–**
,, 1 gr.	*S1*	**1/9**
Strychnine $\frac{1}{2}$ gr.	*S1*	**6d.**
,, 1 gr.	*S1*	**9d.**

CATTLE DRENCHES

Labelled and packed for dispensing.

C.D.1. **Magnes. Sulph.**

Finely ground, dried and coloured Red, Yellow, Pink or White.
In cartons: 1 lb., **16/6** doz.; 12 oz., **13/3** doz.; 8 oz., **10/9** doz.
In bulk: White, **65/–** cwt.; Coloured, **85/–** cwt.

C.D.2. **Magnes. Sulph. c. Zingib.**

Finely ground, dried and coloured Red, Yellow, Pink or White.
In cartons: 1 lb., **17/9** doz.; 12 oz., **14/3** doz.; 8 oz., **11/6** doz.
In bulk, **96/–** cwt.

C.D.3. **Magnes. Sulph., Aloes et Zingib.**

Aloes	½ oz.
Zingib.	1 oz.

Magnes. Sulph. ad 16 ozs.
In cartons: 1 lb., **21/6** doz.; 12 oz., **17/3** doz.; 8 oz., **13/9** doz.
In bulk, **135/–** cwt.

C.D.6. **Cleansing Drench**

Camphor	½ dr.
Pot. Nit.	3 drs.
Zingib.	1 oz.

Magnes. Sulph. Flav. ad 16 ozs.
In cartons: 1 lb., **18/9** doz.; 12 oz., **15/3** doz.; 8 oz., **10/9** doz.
In bulk, **1/4** lb.

C.D.7. **Red Drink**

Magnes. Sulph. Red.	83%
Sulphur.	8.5%
Fœnugrec	8.5%

In cartons: 10 oz., **11/6** doz.
In bulk, **1/3** lb.

C.D.9. **Felon Drench**

Camphor	1 dr.
Ammon. Carb.	3 drs.
Pot. Nit.	4 drs.
Anisi	4 drs.
Zingib.	4 drs.
Magnes. Sulph.	4 ozs.

Linum ad 8 ozs.
In cartons: 8 ozs., **13/6** doz.
In bulk, **1/10** lb.

C.D.10. **Chill**

Anisum	1 oz.
Fœnugrec	1 oz.
Zingib.	1 oz.
Camphor	30 grs.

Linum ad 8 ozs.
In cartons: 8 oz., **15/6** doz.; 4 oz., **11/–** doz.
In bulk, **2/3** lb.

C.D.11. **Cudding and Tonic** (coloured Red)

Gentian.	4 drs.
Zingib.	4 drs.
Nucis Vom.	1½ drs.
Sod. Bicarb.	4 drs.

Linum ad 4 ozs.
In cartons: 4 oz., **7/9** doz.
In bulk, **2/–** lb.

C.D.12. **Stimulating Drink**

Ammon. Carb.	67%
Gentian.	18%
Nucis Vom.	15%

In tins of 6×1 oz., **25/–** doz. tins.

C.D.13. **Antipyrin Powders**

Antipyrin	2 drs.

Excip. ad ¾ oz.
In tins of 6 powders, **60/–** doz. tins.

C.D.14. **Antifebrin Co.**

Antifebrin	2 drs.

Excip. ad ¾ oz.
In tins of 6 powders, **20/–** doz.

C.D.15. **Stimulating and Antacid.**

Ammon. Carb.	30%
Sod. Bicarb.	30%
Gentian.	10%
Zingib.	5%
Anisum	5%
Carum	5%
Nucis Vom.	15%

In tins of 6×1½ oz. packets, **27/–** doz. tins.

HORSE POWDERS

Packed in cartons of 6.

No. 1. Alterative S1

Antim. Nig.	½ dr.
Pot. Nit.	1 dr.
Sulphur. Sublim.	1 dr.
Resin.	1 dr.
Fœnugrec.	½ dr.

Price, **24/–** gross; in bulk, **2/3** lb.

No. 2. Astringent

Catechu	1 dr.
Cassiæ	1 dr.
Cretæ Præp.	1 dr.

Price, **22/–** gross; in bulk, **2/3** lb.

No. 4. Cough

Bellad. Fol.	1 dr.
Ammon. Carb.	1 dr.
Camphor.	15 grs.

Anisum ad 4 drms.
Price, **36/–** gross; in bulk, **6/–** lb.

No. 5. Condition

Nucis Vom.	20 grs.
Ferri Sulph.	1 dr.
Gentian.	1½ drms.

Pulv. Aromat. ad 4 drms.
Price, **24/–** gross; in bulk, **2/2** lb.
1 lb. containers, **28/6** doz.

No. 10. Worm S1

Antim. Tart.	1 dr.
Aloes Barb.	1 dr.
Ferri Sulph. Exsic.	1 dr.
Pulv. Aromat.	1 dr.

Price, **37/6** gross; in bulk, **5/6** lb.

No. 6. Diuretic

Pot. Nit.	2 drms.
Resin.	1 dr.
Sulphur. Sublim.	1 dr.

Bole Armen. q.s.
Price, **22/6** gross; in bulk, **2/–** lb.

No. 8. Tonic

Ferri Sulph.	1 dr.
Zingib.	1 dr.
Gentian.	1 dr.
Pulv. Aromat.	1 dr.

Price, **25/–** gross; in bulk, **2/9** lb.

HORSE BALLS

PLAIN OR "UNIQUE" GELATINE COATED

Packings: PLAIN, cartons of 12 balls. "UNIQUE," cartons of 6 balls.

Physic Balls. Containing Aloes.

Size	Per doz. Plain	Per carton of 6 "Unique"
3 and 4 drachm ..	**7/3**	**3/9**
5 drachm ..	**7/6**	**4/3**
6 drachm ..	**8/3**	**4/6**
7 drachm ..	**8/6**	**4/9**
8 drachm ..	**9/–**	**5/3**
9 drachm ..	**9/3**	**5/6**
10 drachm ..	**9/9**	**6/–**

NOTE.—3, 4 and 5 drachm "Unique" Balls are made up to 1 oz. size with simple mass.

No. 4. Alterative

Aloes Barb.	1½ drms.
Antim. Tart.	1 drm.
Saponis	2 drms.

Plain, **8/3** doz.
"Unique," **4/8**, carton of 6.

No. 4a. Alterative

Aloes Barb.	2 drms.
Pot. Nit.	2 drms.
Gentian.	2 drms.
Zingib.	1 drm.
Antim. Tart.	1 drm.
Sapo. Dur.	1 drm.

Plain, **8/6** doz.
"Unique," **4/9**, carton of 6.

No. 9. Astringent

Ext. Catechu	1 drm.
Cort. Cinnam. ..	1 drm.

Plain, **6/9** doz.
"Unique," **4/–**, carton of 6.

No. 9a. Condition Balls

Antim. Oxysulph. ..	1 drm.
Sulph. Sublim. ..	1 drm.
Pot. Nit.	1 drm.
Fœnugrec	2 drms.

Plain, **7/6** doz.
"Unique," **4/6**, carton of 6.

No. 15. Cordial

Zingib.	2 drms.
Gentian.	2 drms.
Theriac. q.s.	

Plain, **7/3** doz.
"Unique," **4/3**, carton of 6.

No. 7. Cough

Ext. Bellad.	1 drm.
Aloes Barb.	1 drm.
Pot. Nit.	2 drms.

Plain, **8/9** doz.
"Unique," **4/9**, carton of 6.

No. 8. Cough

Aloes Barb.	1 drm.
Digitalis	½ drm.

Plain, **7/–** doz.
"Unique," **4/–**, carton of 6.

No. 16. Cough

Ext. Bellad.	1 drm.
Camphor.	15 grs.
Pot. Nit.	2 drms.

Plain, **9/6** doz.
"Unique," **5/3**, carton of 6.

No. 27. Cud Balls

Anisum	1 drm.
Cyminum	1 drm.
Curcuma	1 drm.
Fœnugrec	1 drm.
Capsicum	10 grs.

Plain, **7/3** doz.

No. 13a. Diuretic (Snaith's)

Resina	2 drms.
Pot. Nit.	2 drms.
Zingib.	2 drms.
Tereb. Venet. q.s.	

Plain, **7/3** doz.
"Unique," **4/3**, carton of 6.

No. 14. Farcy or Grease

Cupri Sulph.	1 drm.
Pot. Chlor.	1 drm.
Gentian	1 drm.
Resin	1½ drms.
Pot. Nit.	1½ drms.
Nuc. Vom.	10 grs.
Helleb. Alb.	10 grs.
Saponis, Tereb. Venet.	ad 1oz.

Plain, **7/3** doz.
"Unique," **4/–**, carton of 6.

No. 5. Fever

Antim. Tart.	½ drm.
Camphor.	30 grs.
Pot. Nit.	1 drm.

Plain, **7/3** doz.
"Unique," **4/3**, carton of 6.

No. 26. Gastric Tonic

Ammon. Carb. ..	2 drms.
Nuc. Vom.	2 drms.

Plain, **7/6** doz.
"Unique," **4/3**, carton of 6.

No. 18. Stimulating

Ammon. Carb. ..	1 drm.
Camphor.	½ drm.
Cinchon.	1 drm.
Zingib.	1 drm.

Plain, **8/3** doz.
"Unique," **4/6**, carton of 6.

No. 17a. Stomachic (Snaith's)

Zingib.	2 drms.
Gentian.	2 drms.
Ammon. Carb. ..	2 drms.

Plain, **6/6** doz.
"Unique," **3/9**, carton of 6.

No. 21. Worm Balls

Aloes Barb.	2 drms.
Ferri Sulph.	2 drms.
Antim. Tart.	2 drms.
Ext. Filicis Liq. ..	1 drm.

Plain **10/–** doz.
"Unique," **6/3**, carton of 6.

No. 22. Worm Balls

Antim. Tart.	1 drm.
Aloes Barb.	1 drm.
Ferri Sulph.	1 drm.

Plain, **7/6** doz.
"Unique," **4/6**, carton of 6.

DOG POWDER TABLETS

Dog Powders in Friable Tablet Form, easily powdered.

No.

1 Antidyspeptic
Bismuth. Carb. .. gr. 2
Sod. Bicarb. .. gr. 2
Lactos. .. .. gr. 1
Price, **3**/3 per 100; **30**/– per 1000

2 Astringent
Bismuth. Salicyl. .. gr. 4
Lactos. .. .. gr. 1
Price, **4**/– per 100; **36**/– per 1000

2a Astringent *DD*
Opium Pulv. .. gr. $\frac{1}{4}$
Catechu Pulv. .. gr. 1
Zingib Pulv. .. gr $1\frac{1}{2}$
Pulv Cretæ Aromat gr 2
Price, **2**/6 per 100; **22**/6 per 1000

5 Cough (*Coloured Grey*). *DD*
Diamorph Hydrochlor .. gr $\frac{1}{64}$
Lactos. .. .. gr. 4
Price, **3**/3 per 100; **30**/– per 1000

6 Cough (*Coloured Lilac*) *DD*
Morph. Hydrochlor. gr. $\frac{1}{60}$
Atropin. Sulph. .. gr. $\frac{1}{200}$
Scilla Pulv. .. .. gr. $\frac{1}{4}$
Ipecac. Pulv. .. gr. $\frac{1}{12}$
Lactos. ad .. .. gr. 5
Price, **3**/3 per 100; **30**/– per 1000

7 Alterative
Hydrarg. c. Creta .. gr. $\frac{1}{2}$
Lactos. .. .. gr.
Price, **3**/3 per 100; **30**/– per 1000

8 Alterative
Hydrarg. c. Creta .. gr. 1
Lactos. .. .. gr. 2
Price, **3**/3 per 100; **30**/– per 1000

8a Alterative
Hydrarg. c. Creta .. gr. 3
Jalapin .. .. gr. $\frac{1}{10}$
Price, **2**/3 per 100; **20**/– per 1000

9 Antacid
Sodii Bicarb. .. gr. 3
Lactos. .. .. gr. 2
Price, **3**/3 per 100; **30**/– per 1000

9a Stomachic
Bismuth. Carb. .. gr. 2
Sod. Bicarb. .. gr. 2
Cinnam. Pulv. .. gr. 1
Price, **2**/9 per 100; **25**/– per 1000

No.

10 Antacid Aperient
Mag. Sulph. Pulv. (*Yellow*) .. .. gr. 4
Mag. Carb. Levis .. gr. 2
Price, **3**/3 per 100; **30**/– per 1000

11 Hepatic
Hydrarg. Subchlor. gr. $\frac{3}{4}$
Lactos. .. .. gr. 4
Price, **3**/3 per 100; **30**/– per 1000

12 Hepatic
Hydrarg. Subchlor. gr. $\frac{1}{2}$
Lactos. .. .. gr. 4
Price, **3**/3 per 100; **30**/– per 1000

13 Hepatic
Hydrarg. Subchlor. gr. 1
Lactos. .. .. gr. 4
Price, **3**/3 per 100; **30**/– per 1000

14 Vermifuge
Santonin. .. .. gr. $\frac{1}{2}$
Hydrarg. Subchlor. gr. $\frac{1}{2}$
Lactos. .. .. gr. 4
Price, **8**/6 per 100; **76**/6 per 1000

15 Vermifuge
Santonin. .. .. gr. $\frac{1}{2}$
Areca Pulv. .. gr. 3
Lactos. .. .. gr. 1
Price, **8**/6 per 100; **76**/6 per 1000

15a Worm
Santonin. .. .. gr. $\frac{1}{2}$
Ext. Areca .. .. gr. 2
Jalapin .. .. gr. $\frac{1}{2}$
Price, **9**/– per 100; **81**/– per 1000

16 Cardiac Tonic. *SI*
Digitalis Pulv. .. gr. 1
Scilla Pulv. .. .. gr. 2
Lactos. .. .. gr. 2
Price, **3**/3 per 100; **30**/– per 1000

17 Fever
Pot. Chlor. .. gr. 2
Sod. Bicarb. .. gr. 2
Lactos. .. .. gr. 1
Price, **3**/3 per 100; **30**/– per 1000

18a Tonic and Alterative
Acid. Arsenios .. gr. $\frac{1}{36}$
Ferri Sulph. .. gr. 1
Aloin. .. .. gr. 1
Ext. Nucis Vom. .. gr. $\frac{1}{32}$
Price, **2**/6 per 100; **22**/6 per 1000

No.

19 Tonic
Ferri Phosph. .. gr. 1
Quinin. Phosph. .. gr. $\frac{1}{4}$
Price, **3**/3 per 100; **30**/– per 1000

20 Rheumatic
Sod. Salicyl. .. gr. 5
Lactos. .. .. gr. 2
Price, **3**/3 per 100; **30**/– per 1000

21 Diuretic
Pot. Nit. .. .. gr. 1
Mag. Carb. Levis .. gr. 1
Lactos. .. .. gr. 2
Price, **3**/3 per 100; **30**/– per 1000

22 Distemper. *SI*
Pulv. Ipecac. Co. .. gr. $\frac{1}{2}$
Hydrarg. c. Creta .. gr. $\frac{1}{2}$
Sod. Bicarb. .. gr. 1
Lactos. .. .. gr. 2
Price, **3**/3 per 100; **30**/– per 1000

23 Distemper. *SI*
Antim. Pulv. .. gr. $\frac{1}{2}$
Pulv. Ipecac. et Opii gr. $\frac{1}{2}$
Lactos. .. .. gr. 3
Price, **3**/3 per 100; **30**/– per 1000

24 Eczema. *SI*
Arsen. Iodid. .. gr. $\frac{1}{30}$
Lactos. .. .. gr. 3
Price, **3**/3 per 100; **30**/– per 1000

25 Eczema. *SI*
Arsen. Iodid. .. gr. $\frac{1}{60}$
Lactos. .. .. gr. 3
Price, **3**/3 per 100; **30**/– per 1000

26 Skin Diseases (*Coloured Orange*)
Sulphur Precip. .. gr. 3
Lactos. .. .. gr. 2
Price, **3**/3 per 100; **30**/– per 1000

27 Saline
Pot. Chlor. .. gr. 2
Lactos. .. .. gr. 2
Price, **3**/3 per 100; **30**/– per 1000

29 Sedative
Pot. Brom. .. gr. 10
Bellad. Fol. Pulv. .. gr. 3
Price, **6**/– per 100; **54**/– per 1000

DOG PILLS

PEARL COATED.

No.

1 Pil. Alterative. *S1*

Hyd. c. Creta ..	*Half-size for Small Dogs, 2/6 per 100.*	..	gr. iij
Pulv. Digitalis ..		..	gr. iss
,, Scillæ ..		..	gr. ij
Ext. Hyoscyam.		..	gr. i
Excipient ad ..		..	gr. x

One, night and morning. Price, 3/6 per 100.

2 Pil. Alterative.

P. Aloes Barb. ..	*Half-size for Small Dogs, 2/6 per 100.*	..	gr. ij
Podoph. Resinæ ..		..	gr. ½
Ferri Carb. ..		..	gr. iij
Sodii Bicarb. ..		..	gr. ij
P. Zingib		..	gr. i
Excipient ad ..		..	gr. x

One, night and morning. Price, 3/6 per 100

2a Pil. Antidyspeptic.

Pepsin.	*Half-size for Small Dogs 3/3 per 100.*	..	gr. ii
Bism. Carb. ..		..	gr. iv
Excipient ad ..			

Price, 4/3 per 100.

3 Pil. Aperient.

Aloes Barb. } Ol. Croton. }	*Half-size for Small Dogs, 2/3 per 100.*	{	gr. viij m ss

Price, 2/9 per 100.

4 Pil. Aperient.

Aloes Barb. } Calomel .. }	*Half-size for Small Dogs, 2/6 per 100.*	{	gr. viij gr. ij

Price, 3/3 per 100.

4a Pil. Arecolin. Hydrobrom. .. gr. ⅛ 6/6 100

" " " .. gr. ¼ 10/– 100

5 Pil. Astringens. *DD*

Pulv. Opii .	*Half-size for Small Dogs, 2/6 per 100.*	..	gr. j
,, Rino ..		..	gr. i
,, Catechu ..		..	gr. ij
,, Zingiber ..		..	gr. iii
,, Acaciæ ..		..	gr. i
Excipient ad ..		..	gr. x

Dose : One or two occasionally. Price, 4/– per 100.

6 Condition Pills. *S1*

Hyd. c. Creta ..	*Half-size for Small Dogs, 1/9 per 100.*	..	gr. ij
Aloes Barb. ..		..	gr. iv
P. Pot. Nit. ..		..	gr. i
P. Antim. Sulph.		..	gr. i
P. Capsici.. ..		..	gr. ¼
Ext. Gentian ad		..	gr. x

One, night and morning. Price, 2/6 per 100

7 Cough Pills. *S1*

Pulv. Digitalis ..	*Half-size for Small Dogs, 2/6 per 100.*	..	gr. ij
,, Antimonialis		..	gr. iv
,, Pot. Nit ..		..	gr. iv
,, Ipecac. Co.		..	gr. ij

Price, 3/– per 100.

8 Cough Pills.

Sodii Bicarb. ..	*Half-size for Small Dogs, 2/6 per 100.*	..	gr. iij
Ext. Bellad. ..		..	gr. j
Pulv. Camph. ..		..	gr. j
,, Digitalis ..		..	gr. ss
Excipient ad ..		..	gr. x

Price, 3/– per 100.

9 Pil. Distemper. *S1*

Ext. Belladonnæ..	*Half-size for Small Dogs, 2/6 per 100.*	..	gr. i
Potassii Sulphat.		..	gr. ij
Hyd. Sulph. Nig.		..	gr. i
Pulv. Antimonialis		..	gr. i
Excipient ad ..		..	gr. x

Price, /– per 100.

10 Pil. Distemper. (Shipley).

Quininæ Sulph. ..	*Half-size for Small Dogs, 2/– per 100.*	..	gr. j
P. Potass. Chlor.		..	gr. ij
Sodii Bicarb. ..		..	gr. ij
Excipient ad ..		..	gr. x

Price, 3/– per 100.

No.

10a Pil. Distemper.

Acid Acetosal. ..	*Half-size, 2/3 per 100.*	..	gr. 2
Quininæ Sulph. ..		..	gr. ½

Price, 3/6 per 100.

11 Pil. Purgans.

Podophyllin ..	*Half-size for Small Dogs, 3/– per 100.*	..	gr. i
Aloin		..	gr. ii
Scammonii ..		..	gr. ½
Pulv. Zingiber ..		..	gr. i
Ol. Menth. Pip ..		..	gr. i

One or two, according to the size of the dog.
Price, 5/– per 100.

11a Pil. Purgans.

Double the above strength. Price, 9/6 per 100

12 Pil. Sodii Salicylat.

Sodii Salicylat } Excipient .. }	*Half-size for Small Dogs, 2/6 per 100.*	{	gr.x q.s.

One Pill twice or thrice daily. Useful in rheumatism and distemper. Price, 3/– per 100.

13 Pil. Sedativa.

Potassii Bromid.	*Half-size for Small Dogs, 1/8 per 100.*	..	gr. ii
Chloral Hydrat ..		..	gr. i
Ext. Hyoscyam ..		..	gr. i
Excipient ad ..		..	gr. x

Price, 2/6 per 100.

13a Pil. Stomachic.

Bism. Subnit. ..	Price, 1/11 Per 100.	..	gr. ii
Soda Carb. Exic. ..		..	gr. ii
Gingerine ..		..	gr. ⅛

14 Pil. Tonic.

Quininæ Sulph. ..	*Half-size for Small Dogs, 2/3 per 100.*	..	gr. j
Ferri Sulph. Exsic		..	gr. iss
Excipient ad ..		..	gr. x

One, twice a day. Price, 3/3 per 100.

15 Pil. Vermifuge.

Santonini	*Half-size for Small Dogs, 4/6 per 100.*	..	gr. ¼
Podophyllin ..		..	gr. ss
Pulv. Arecæ ..		..	gr. iv
Ext. Filicis Maris		..	gr. ii
Excipient ad ..		..	gr. x

One Pill to be given fasting. Price, 7/6 per 100.

16 Pil. Vermifuge.

Santonin	*Half-size for Small Dogs, 5/– per 100.*	..	gr. ½
Pulv. Coloc. Co.		..	gr. iij
,, Jalapæ ..		..	gr. v
Ol. Caryoph ..		m	½

One daily for several days. Price, 8/3 per 100.

17 Pil. Vermifuge.

Santonin	*Half-size for Small Dogs, 4/6 per 100.*	..	gr. ¼
Pulv. Ferri Sulph.		..	gr. ij
Ext. Gentian ..		..	gr. ij

Price, 6/6 per 100.

18 Pil. Distemper. *S1*

Pulv. Ipecac. Co.	*Half-size for Small Dogs, 3/– per 100.*	.	gr. iss
,, Antimonialis		..	gr. iss
Hyd. c. Creta ..		..	gr. iss
Quininæ Sulph. ..		..	gr. iss

Price, 5/– per 100.

19 Pil. Diabetic.

Cretæ Preparatæ	*Half-size for Small Dogs, 3/– per 100.*	..	gr. v
Ferri Carb. ..		..	gr. iiss
Pulv. Opii ..		..	gr. ¼
,, Ipecac. ..		.	gr. ¼

One, twice or thrice a day. Price, 3/9 per 100.

20 Pil. Rheumatic.

Sodii Salicylat ..	*Half-size for Small Dogs, 3/– per 100.*	..	gr. v
Potass. Iodid. ..		..	gr. i
Sulphur		..	gr. i
Pulv. Opii ..		..	gr. ¼

For chronic rheumatism and chronic spinal meningitis. Price, 3/9 per 100

HEWLETT'S
"LITTLE" PILL SERIES FOR DOGS

PRICE 1/9 PER GROSS; 5 GROSS 1/6 GROSS

No.

21 Little Anti-Constipation Pills. (*Coloured Red.*)
Podophyllin .. .. gr. 1/8
Aloin .. .. gr. 1/8
Ext. Belladonnæ .. .. gr. 1/8
Capsicine .. .. gr. 1/30

22 Little Aperient Pills.
(*Coloured Green.*)
Jalapin .. .. gr. 1/10
Podophyllin .. .. gr. 1/10
Aloin .. .. gr. 1/10
Ext. Hyoscyami .. .. .. gr. 1/20
Ext. Nuc. Vom. .. .. .. gr. 1/40
Capsicine .. .. gr. 1/20

23 Little Cathartic Pills.
(*Coloured Pink.*)
Podophyllin .. .. gr. 1/5
Jalapin .. .. gr. 1/5
Aloin .. .. gr. 1/5
Ext. Nuc. Vom. .. .. .. gr. 1/32
Ext. Hyoscyami .. .. .. gr. 1/10
Capsicine .. .. gr. 1/20

24 Little Cough Pills. *DD*
(*Coloured Red-Brown.*)
Morph. Hydrochlor. .. .. .. gr. 1/36
Pulv. Ipecac. .. .. gr. 1/12
,, Scillæ .. .. gr. 1/2
Ext. Conii .. .. gr. 1/8

25 Little Cough Pills. *DD* (2/– gross)
(*Coloured Heliotrope.*)
Morph. Hydrochlor. .. .. .. gr. 1/50
Atropinæ Sulph. .. .. .. gr. 1/150
Pulv. Scillæ .. .. gr. 1/2
,, Ipecac. .. .. gr. 1/12
Ext. Conii .. .. gr. 1/8

25a As above, "Sine Morphina" (*Coloured Blue.*)

26 Pil. Antitussi. (*White.*) *S1*
Morph. Hydrochlor. .. .. .. gr. 1/36
Potassii Bromid .. .. gr. 2½
Pulv. Ipecac. .. .. gr. 1/12
Ext. Conii .. .. gr. 1/8

27 Acid. Arsenios. *S1* .. .. .. gr. 1/36
Ferri Redact. .. .. gr. 1

28 Acid. Arsenios. *S1* (2/6 gross) .. gr. 1/36
Zinci Sulph. .. .. gr. 2
For Chorea and Epilepsy.

29 Arsenii Iodid. *S1* gr. 1/20 or
One to be given as required, after food.

30 Arsenii Iodid. *S1* .. .. .. gr. 1/12
Hydrarg Iodid. Rub. .. .. .. gr. 1/12
FOR ECZEMA.—To be given, as required, after food.

31 Calcii Sulphid. .. .. gr. 1/10, 1/4, 1/2 or 1
For Boils, Abscesses, Sores, &c.

32 Calomel. .. .. .. gr. 1/8, 1/4, 1/2, or 1

No.

33 Pil. Eastoni. (without Strychnine) (2/6 gross)
(*Coloured Blue.*)
Ferri Phos. .. .. gr. 1/2
Quininæ Phos. .. .. gr. 1/2

33a A Ferri Phosph. (3/– gross) .. .. gr. 1/4
Quin. Phosph. .. .. gr 1/4

34 Ext. Nuc. Vom. .. .. gr. 3/5
Potassii Bicarb. .. .. gr. 5
Stimulates peristalsis.—One to be given two or three times daily, as required.

35 Ferri Redact. .. .. .. gr. 1 or 2

36 Ferri Redact. (4/– gross) .. .. .. gr. 1
Quininæ Sulph. .. .. .. gr. 1
Ext. Nuc. Vom. .. .. .. gr. 1/32

38 Hydrarg. c. Creta. .. .. gr. ¼, ½ or 1

40 Opii Pulv. *DD* .. .. gr. ¼, 1/9; gr. ½, 2/3

41 Potassii Iodid. (6/– gross) .. .. .. gr. 2
Quininæ Sulph. .. .. gr. 1
(*Coloured Yellow.*)
For scrotal enlargement and swollen sub-maxillary glands, &c.

42 Quininæ Arsenias. *S1* .. .. gr. 1/10, or 1/5

43 Quininæ Sulph. gr. ½, 2/3; gr. 1, 3/6; gr. 2, 6/6

44 Quininæ Sulph. (4/– gross) .. .. gr. 1
Phosphori Pur. .. .. gr. 1/50
Ferri Redact. .. .. gr. 3
For Chorea in Dogs and as General Tonic.

47 Ext. Cascaræ. .. .. .. gr. ½, 1 or 2

48 Pil. Distemper. *DD*
Pulv. Jacobi .. .. gr. ½
,, Doveri .. .. gr. ½

49 Little Astringent Pills. (5/6 gross) *DD*
Morph. Mur. .. .. gr. 1/10
Pulv. Kino .. .. gr. ½
,, Catechu .. .. gr. 1

50 Pil. Vermifuge. (12/– per gross)
Santonin .. .. gr. ½
Calomel .. .. gr. 1

51 Tonic, Laxative & Hepatic. *S1* (2/– gross)
Ac. Arsenios .. .. gr. 1/36
Ferri Sulph. .. .. gr. ½
Aloin .. .. gr. ¼
Podophyllin .. .. gr. 1/8

52 Yeast Tonic. .. .. .. gr. ½, 1/9; gr. 1, 2/6

56 Tonic
Ferri Phosph. .. .. gr. ½
Nnx Vom. .. .. gr. 1/60

TABLETS

HEWLETT'S COMPRESSED

Subject to Purchase Tax as indicated.

Packed in Bottles of 100, 250, 500 and 1,000.

			Per 100	Per 1000
T.306	**Acid. Acetylsalicyl. B.P.,** gr. 5		10d.	4/6
T.307	**Acid. Acetylsalicyl. B.P.,** gr. 5 *(Pink)*		11d.	5/–
T.309	**Acid. Acetylsalicyl. B.P.,** gr. 5 *(Orange coloured and flavoured)*		1/4	8/3
T.516	**Acid. Acetylsalicyl. B.P.,** gr. 5 *(Yellow)*		11d.	5/–
T.310	**Acid. Acetylsalicyl. Co. B.P.C.**		2/1	14/6
T.316	**Acid. Acetylsalicyl. et Quinin.** Acid. Acetylsalicyl. B.P., gr. 4 Quinin. Sulph. B.P., gr. 1		4/2	36/–
T.588	**Acid. Acetylsalicyl. et Thyroid** Acid. Acetylsalicyl. gr. 4 Thyroid gr. ½		2/3	16/6
T.517	**Acid. Arsenios,** gr. 1/20	*SI*	1/2	6/6
T.518	**Acid. Arsenios,** gr. 1 *(Sugar-coated)*	*SI*	1/4	8/–
T.519	**Acid. Arsenios Co.** Acid. Arsenios, gr. 1/100 Ferri Sulph. Exsic., gr. 1 Ext. Gent Gt. 2		1/11	13/3
T.317	**Acid. Ascorbic. B.P.,** 5 mgm.		1/10	8/2
T.318	**Acid. Ascorbic. B.P.,** 25 mgm.		2/8	21/7
T.319	**Acid. Ascorbic. B.P.,** 50 mgm.		4/6	37/6
T.326	**Ammon. Brom. B.P.C.**		1/8	7/5
T.329	**Aneurin. Hydrochlor. B.P.,** 3 mgm.		5/6	35/–
T.511	**Anti-Constipation No. 1** *(Sugar-coated)* Aloin, gr. 1/5 Ext. Bellad., gr. 1/5 Ipecac. Pulv., gr. 1/16		1/3	7/3
T.520	**Aphrodisiac** Ext. Damianæ, gr. 2 Ext. Nuc. Vom., gr. 1/8 Ferri Phosph., gr. 1/10 Canthar. Pulv., gr. 1/45		2/6	20/6
	Barii Chlor. et Tartar Emet. (See Rumen Tabs.)			
T.338	**Bism. Carb.,** gr. 5		3/5	25/6
T.521	**Bism. Carb. et Pot. Bicarb.** Bism. Carb., gr. 3 Potass. Bicarb., gr. 2		2/–	14/9
T.339	**Bism. Salicyl. B.P.,** gr. 5		2/9	22/3
T.522	**Bism. Salicyl. B.P.,** gr. 2		1/8	10/9
T.507	**Bism. et Calomel** Bism. Carb., gr. 1 Calomel, gr. 1/20 Ipecac. Pulv., gr. 1/50 Sod. Bicarb., gr. ½		1/8	10/9
T.523	**Bism. et Ipecac. Co.** Bism. Subnit., gr. 2½ Pulv. Ipecac. Co., gr. 2½		2/7	21/–
T.340	**Bism. et Pepsin. No. 1** Bism. Subnit., gr. 2 Pepsin., gr. 1 Carbo. Lign., gr. 2		2/11	23/6
T.524	**Bism. et Pepsin. No. 2** Bism. Subnit., gr. 2 Pepsin., gr. 1 Sod. Bicarb., gr. 3		2/11	23/6
T.525	**Bism. et Soda** Bism. Subnit., gr. 5 Sod. Bicarb., gr. 5		2/8	21/9
T.526	**Bism. et Soda** Bism. Subnit., gr. 2½ Sod. Bicarb., gr. 2½		1/11	13/9
T.527	**Bism. et Soda** Bism. Subnit., gr. 1¼ Sod. Bicarb., gr. 1¼		1/6	9/9
T.342	**Bism. Soda et Zingib.** Bism. Subnit., gr. 2 Sod. Bicarb., gr. 2 Zingib. Pulv., gr. 1		2/–	14/7
T.343	**Bism. Rhei et Soda** Bism. Subnit., gr. 3 Rheum Pulv., gr. 1 Sod. Bicarb., gr. 2		2/9	26/–
	Blaud's Pill (See Ferr. Carb.)			
T.347	**Calcium Lactate,** gr. 5		1/1	5/–
T.352	**Calcium-Vitamin D** Sodio-Calcii Lact., gr. 5 Vitamin D 500 I.U.	*M*	1/11	13/6
	Calomel (See Hydrarg. Subchlor.)			
T.472	**Carbo Ligni,** gr. 5		11d.	5/–
T.354	**Casc. Sagr.,** gr. 2 *(Sugar-coated)*		1/8	10/6
T.355	**Casc. Sagr.,** gr. 5 *(Sugar-coated)*		2/11	23/9
T.356	**Casc. Sagr. Co. B.P.C.** *(Sugar-coated)*		2/1	15/9
T.528	**Chelidonii Co.** Ext. Chelidon., gr. 1 Ext. Buchu, gr. ½ Sod. Sod. Tauroglycocho., gr. 1/6 Hexamin., gr. 1/3	*M*	3/6	30/–
T.358	**Chloral Hydrat,** gr. 5		1/11	13/6
T.585	**Chlorbutol B.P.** gr. 2		2/3	17/–
T.586	**Chlorbutol B.P.** gr. 5		3/6	27/–
T.574	**Chlorbutol Co.** Chlorbutol gr. 2½ Pot. Brom. gr. 2½ Ext. Bellad. Sicc. gr. ½		2/6	20/–
T.361	**Co-Cerevisiæ** (Yeast with Glycerophosphates)		2/1	15/–
T.529	**Co-Cerevisiæ c. Pot. Brom.,** gr. 1		2/6	20/–
T.530	**Diamorphin. Hydrochlor.,** gr. 1/48	*DD*	1/7	11/9
T.531	**Diamorphin. Hydrochlor.,** gr. 1/24	*DD*	2/4	19/–
T.532	**Diamorphin. et Terpin.** Diamorphin., gr. 1/24 Terpin. Hydrat., gr. 2½	*DD*	2/7	21/–
T.366	**Diarrhœa** Bism. Subnit., gr. 3 Pulv. Creta Aromat., gr. 2		2/1	15/–
T.533	**Distemper** *(Chocolate coated)* Iodine, gr. 1/25 Creosot., gr. ¼ Pot. Bichrom., gr. 1/20		2/1	15/6
T.534	**Eastoni** (½ drm. Syr.) Yellow *(Sugar coated)*, without Strychnine		1/6	12/1
T.535	**Eastoni** (1 drm. Syr.) Yellow *(Sugar coated)*, without Strychnine		2/6	20/–
T.379	**Ergot. Præp.,** gr. 2½	*SI*	4/5	38/9
T.536	**Ergot. Præp.,** gr. 5	*SI*	/	/
T.380	**Ferri Carb. B.P.C.** *(Sugar coated)*		1/–	5/9
T.537	**Ferri et Arsen** *(Sugar coated)* Pil. Ferri Carb., gr. 5 Arsenic, gr. 1/60	*SI*	1/2	6/7

			Per 100	Per 1000
T.538	**Ferri Co...** .. .. *SI* Pil. Ferri Carb., gr. 3 Manganes. Oxid., gr. 1 Acid. Arsenios, gr. 1/60		1/5	7/6
T.539	**Ferri Carb. Sacch.,** gr. 5 ..		1/2	6/6
T.540	**Ferri Phosph. Co.** (Syrup 1 drm.), *Sugar coated*		1/4	8/–
T.541	**Ferri Redact.,** gr. 1		1/2	6/6
T.560	**Formalin**		1/7	8/6
T.390	**Heart Tonic and Stimulant** (*Chocolate coated*) .. *SI* Glyceryl. Trinit., gr. 1/100 Tinct. Digitalis, min. 2 Tinct. Strophanth., min. 2 Tinct. Bellad., min. ¼		2/9	22/6
T.391	**Hexamin. B.P. '32**		1/1	6/–
T.587	**Hexamine et Sodii Acid. Phosph.** .. .. Hexamin. gr. 2½ Sod. Acid. Phosph. gr. 2½		1/6	10/–
T.542	**Hormonigen No. 1** for Dogs.. Thyroid (dry), gr. 1/10 Pituitary (dry), gr. 1/20 with Ovarian and Orchitic substance		4/9	37/10
T.543	**Hormonigen No. 4** .. .. Pituitary (dry), gr. 1/20 Thyroid (dry), gr. 1/20 with Orchitic substance and Cerebrinin		4/9	37/10
T.544	**Hormonigen No. 5** (for sterility in bitches) .. .. Pituitary (dry), gr. Thyroid (dry), gr. 1/10 Ovarian (dry), gr. 1/5 Mammary (dry), gr. 1/5		4/9	37/10
T.545	**Hormonigen No. 5** (Double strength)		8/6	—
T.546	**Hormonigen No. 6** .. .. Thyroid (dry), gr. 1/10 Pituitary (dry), gr. 1/20 Suprarenal, gr. 1/10 with Orchitic substance		4/9	37/10
T.547	**Hormonigen No. 6** (Double strength)		8/6	—
T.398	**Hydrarg. c. Creta B.P.,** gr. ½		10d.	4/6
T.399	**Hydrarg. c. Creta B.P.,** gr. 1		10d.	4/6
T.400	**Hydrarg. c. Creta B.P.,** gr. 2		1/2	6/6
T.401	**Hydrarg. c. Creta et Pulv. Ipecac Co.** .. .. *SI* Hydrarg. c. Creta, gr. ½ Pulv. Ipecac. Co., gr. ½		1/5	7/9
T.548	**Hydrarg. Subchlor.,** gr. 1/10		10d.	3/6
T.549	**Hydrarg. Subchlor.,** gr. 1/6		10d.	3/6
T.402	**Hydrarg. Subchlor.,** gr. ¼ ..		11d.	4/2
T.403	**Hydrarg. Subchlor.,** gr. ½ ..		1/–	4/5
T.550	**Hydrarg. Subchlor. et Opii** *DD* Hydrarg. Subchlor., gr. 1 Opii Pulv., gr. ½		1/7	11/–
T.442	**Laxans** brand Phenolphthalein B.P., gr. 1		1/3	7/–
T.443	**Laxans** brand Phenolphthalein B.P., gr. 2		1/6	10/–
T.551	**Mag. Sulph. et Arsenic No. 1** (*Coloured Mauve*).. .. *SI* Mag. Sulph., gr. 10 Acid. Arsenios, gr. 1/100		1/5	8/–
T.552	**Mag. Sulph. et Arsenic No. 2** (*Coloured Mauve*).. .. *SI* Mag. Sulph., gr. 5 Acid. Arsenios. gr. 1/100		1/1	6/–
T.553	**Magnes. Trisilicas,** gr. 20 ..		3/5	29/–
T.554	**Methylene Ditannin,** gr. 5 ..		4/1	36/–
T.555	**Methylene Ditannin,** gr. 10 ..		5/4	48/–
T.420	**Neuritis** .. .. Acid. Acetylsalicyl. gr. 5 Phenacet., gr. 2½ Pulv. Ipecac. et Opii, gr. 2		2/6	20/–
T.509	**Neuritis** (Half strength) ..		1/9	12/6
T.556	**Neuritis** (Half strength, *Pink*)..		1/10	14/–
T.421	**Opium Pulverat. B.P.,** gr. ¼ *DD*		2/3	16/6
	P.A.B.S. (See Sulphanilmide)			
T.432	**Phenobarbiton B.P.,** gr. ½ ..		1/5	7/6
T.433	**Phenobarbiton B.P.,** gr. 1 ..		1/7	11/6
T.434	**Phenobarbiton B.P.,** gr. 1½ ..		2/3	17/–
T.435	**Phenobarbiton B.P.,** gr. 2 ..		2/7	21/6
T.437	**Phenobarbiton Sodium B.P.,** gr. ½		1/5	7/6
T.438	**Phenobarbiton Sodium B.P.,** gr. 1		1/7	11/6
T.439	**Phenobarbiton Sodium B.P.,** gr. 1½		2/3	17/–
T.440	**Phenobarbiton Sodium B.P.,** gr. 2		2/7	21/6
T.447	**Polyvitamin Co.** .. .. Vitamin A, 1000 I.U. Vitamin B_1, 100 I.U. Vitamin C, 100 I.U. Vitamin D, 800 I.U.		4/2	36/4
T.448	**Pot. Bromid. B.P.,** gr. 5 ..		1/–	5/6
T.449	**Pot. Chlorat. B.P.,** gr. 5 ..		1/2	6/6
T.456	**Pulv. Ipecac. et Opii B.P.C.**..		2/7	21/–
T.461	**Quinin. Bisulph. B.P.,** gr. 1 (*Sugar coated*)		2/4	17/9
T.462	**Quinin. Bisulph. B.P.,** gr. 2 ..		3/9	33/–
T.468	**Rhei et Sod. Bicarb. B.P.C.** ..		1/6	9/1
T.557	**Rumen** .. .. .. *SI* Barii Chlorid., gr. 15 Antim. Tart., gr. 15 Strychnin., gr. ½		5/6	50/–
T.469	**Saccharin 550,** gr. 0.2		10d.	5/–
T.471	**Salol B.P.C.**		2/3	17/–
T.472	**Santonin. B.P.C.** gr. ½ ..		9/–	—
T.558	**Sod. Bicarb.,** gr. 2½ (*Sugar coated*)		9d.	2/6
T.476	**Sod. Brom. B.P.,** gr. 5.. ..		1/1	6/–
T.479	**Sod. Salicyl. B.P.,** gr. 5 ..		1/3	7/2
T.483	**Stann. Co.,** gr. 4 .. .. Stannum Pur., 42.5% Stanni Oxid., 7.5%		1/7	9/4
T.480	**Stilboestrol B.P.** 0.5 mgm. ..		1/3	6/7
T.481	**Stilboestrol B.P.** 1 mgm. ..		1/4	8/3
T.482	**Stilboestrol B.P.** 5 mgm. ..		2/8	21/–
T.485	**Sulphaguanidin B.P.,** 0.5 grm.		5/3	42/6
T.486	**Sulphanilamid B.P.,** 0.5 grm...		2/6	18/2
T.487	**Sulphathiazol B.P.,** 0.5 grm...		5/3	42/–
T.499	**Tri-Bromides,** gr. 15 .. .. Ammon. Brom., gr. 3 Pot. Brom., gr. 6 Sod. Brom., gr. 6		2/2	15/2
T.497	**Thyroid B.P.,** gr. 1		1/4	7/6
T.498	**Thyroid B.P.,** gr. 2		1/9	12/6
	Verileen (See page 12)			
	Vitamin B_1 (See Aneurin Hydrochlor)			
	Vitamin C (See Acid. Ascorbic)			
T.501	**Yeast B.P.C.** (Sicc.)		1/–	5/6

"SOLTABS"

Hewlett's special Solution Tablets for the preparation of antiseptic lotions, douches, etc. of definite strength.

			Per 100	Per 1,000
S.1.	**Acriflavin.** gr. 1.75		9/6	88/–
S.2.	**Alum. Sulph. et Zinc. Co.** .. Alum. Sulph. gr. 30 Zinc. Sulph. gr. 30 Potass. Permang. gr. 2½		2/10	21/–
S.3.	**Argent. Proteinas** gr. 3.. ..		3/4	27/6
S.4.	**Borac. et Benzamin. Co. B.P.C.**	*P1*	2/10	21/6
S.5.	**Borac. et Cocain. Co. B.P.C.**	*DD*	2/9	21/–
S.6.	**Chloramin. B.P.C.**		3/2	24/3
S.7.	**Cocain. Hydrochlor.** gr. ½ ..		—	—
S.8.	**Hydrarg. Iodid. B.P.C.** ..	*S1*	8/–	73/–
S.9.	**Hydrarg. Perchlor. B.P.C.** ..		3/10	30/9
S.10.	**Nasal Alkaline B.P.C.** ..	*S1*	1/5	6/7
S.11.	**Nasal Eucalyptol Co.** .. .. Sod. Bicarb. gr. 8 Acid. Benzoic. gr. ¼ Acid. Boric. gr. 8 Eucalyptol min. 1/6 Thymol gr. 1/6 Ol. Menth. Pip. min. 1/24 Ol. Gaultheriæ min. ¼		1/10	10/3
S.12.	**Nasal Sodii Bicarb. Co.** .. Sod. Bicarb. gr. 5 Acid. Boric. gr. 1 Borac. gr. 4 Sod. Chlorid. gr. 5		1/7	8/3
S.13.	**Proflavin. B.P.C.**		6/–	53/4
S.14.	**Sodii Chlorid.** gr. 20		1/6	7/9
S.15.	**Sodii Chlorid.** gr. 30		1/7	8/10
S.16.	**Sodii Chlorid.** gr. 40		1/9	10/3
S.17.	**Sodii Chlorid.** gr. 80		2/3	14/6
S.18.	**Thymol Co.**		1/7	8/4
S.19.	**Zinc. Sulph.** gr. 10		1/7	8/5

HEWLETT'S OPHTHALMIC OINTMENTS

The following Ophthalmic Ointments, are supplied in Collapsible Tubes of 1 *drachm approx.*

Packed in cartons of 1 dozen tubes, labelled "The Eye Ointment. To be used as directed."

			Doz.
O1	Ung. Hyd. Oxid. Flav. 1%		6/–
O2	,, Atropine 1%	*S1*	9/–
O3	,, Cocainæ 1%	*DD*	9/–
O4	,, Eserine 0.25%	*S1*	8/–
O5	,, Neo-Argentum 5%	*M*	7/–
O6	Ung. Pot. Iodid et Sodii Bicarb. ..		7/–
O7	,, Hyd. Oxid. Flav. 2% with Cocaine 1%	*DD*	9/–
O8	,, ,, ,, ,, with Atropine 1% and Cocaine 2%	*DD*	9/–
O9	Double Cyanide ½%	*S1*	8/–
O10	Sulphacetamide 5%	*S1*	9/6
O11	Sulphathiazole 5%	*S1*	9/6

PIG POWDERS

S1 CONDITION.

Antim. Oxysulph. ..	8 grains
Ferri Carb.	8 ,,
Pot. Nitras.	12 ,,
P. Glycyrrh.	16 ,,
P. Fœnugrec.	16 ,,

Price, 1/8 doz., 16/– gross.

In bulk, 2/6 lb.

DIARRHŒA.

Bismuth. Subnit. ..	20 grains
P. Cretæ Aromat. ..	20 ,,
Methylditannin ..	3 ,,

Price, 2/3 doz., 22/6 gross.

In bulk, 11/9 lb.

PURGATIVE

P. Jalapæ ..	1 drachm
Calomel ..	3 grains

Price, 2/3 doz., 22/6 gross.

In bulk, 8/6 lb.

WORM.

P. Cupri Sulph. Exsicc .	10 grains
P. Nux. Areca ..	10 ,,
P. Zingib.	10 ,,
P. Aromaticus	ad. 2 drachm.

Price, 2/– doz., 19/6 gross.

In bulk, 3/– lb.

SODIUM FLUORIDE WORM POWDERS

each containing 1 *drachm*

Packed in cartons of 3 dozen powders, and labelled with directions.

Price, **7/6** per carton of 3 dozen.

GELATINE CAPSULES

These are Flexible Gelatine Capsules unless otherwise stated, e.g.: Hard.

Subject to Purchase Tax as indicated.

			Per 100	Per 1,000
C.38.	**Carbon Tetrachlor.** 1 c.c. ..		4/–	34/6
C.39.	**Carbon Tetrachlor.** 2 c.c. ..		5/–	45/6
C.40.	**Chenopodii Ol.** 1 min.		4/6	36/–
C.41.	**Chenopodii Ol.** 2 min.		5/–	40/–
C.42.	**Chenopodii Ol.** 3 min.		6/6	52/–
C.43.	**Chenopodii Ol.** 5 min.		8/–	68/9
	Chenopodii et Tænigen Co.			
C.44.	For 5 lb. Dogs	M	3/–	24/–
C.45.	For 10 lb. Dogs	M	3/6	28/–
C.46.	For 15 lb. Dogs	M	3/9	30/–
C.47.	For 20 lb. Dogs	M	4/6	36/–
C.48.	For 30 lb. Dogs	M	5/6	44/–
C.49.	For 60 lb. Dogs	M	9/–	72/–
C.50.	**Chenopodii et Terebinth. Co.** Ol. Chenopod. B.P. ½ min. Ol. Terebinth. B.P. 1 min. Ol. Ricin. B.P. 10 min. (For Puppies)		4/–	32/–
C.51.	**Chenopodii et Terebinth. Co.** Ol. Chenopod. B.P. 1 min. Ol. Terebinth. B.P. 1 min. Ol. Ricini B.P. 10 min. (For medium Dogs)		6/–	48/–
C.52.	**Chenopodii et Filicis Co.** .. Ol. Chenopod. B.P. 1 min. Ext. Filicis Liq. 4 mins. Ol. Ricin. B.P. 10 mins. (For adult Dogs)		5/6	44/–
C.53.	**Chenopodii Co.** .. .. .. Ol. Chenopod. B.P. 1 min. Santonin. gr. 1 Ol. Terebinth. B.P. 5 min. Ol. Ricin. B.P. 25 mins.		18/9	—
C.54.	**Chlorbutol** gr. 5 (Hard).. ..		7/6	60/–
C.55.	**Chlorbutol** gr. 10 (Hard) ..		9/6	78/–
C.56.	**Chlorbutol et Arecoline** (Hard) Chlorbutol gr. 2½ Arecoline Hydrobrom. gr. ¼		12/6	100/–
C.57.	**Chlorbutol Co.** (Hard) .. .. Chlorbutol gr. 1½ Pot. Brom. gr. 2½ Ext. Bellad. gr. ½		6/–	48/–
C.9.	**Cinnam. Ol. et Quinin.** ..		5/–	40/–
C.10.	**Creosotum** 1 min.		3/–	23/9
C.11.	**Creosotum** 2 min.		3/9	30/9
C.12.	**Creosotum** 3 min.		4/6	38/–
C.13.	**Creosotum** 5 min.		5/9	47/10
C.14.	**Ergot. Præp.** gr. 5 ..	S1	/	/
C.17.	**Ext. Cascaræ Sagrad.** (30 mins. Liq.)		7/6	63/9

			Per 100	Per 1,000
C.18.	**Ext. Filicis** 10 min.		9/9	91/3
C.19.	**Ext. Filicis** 15 min.		12/3	124/4
C.20.	**Ext. Filicis** 20 min.		17/–	162/10
C.21.	**Ext. Filicis** 30 min.		23/–	223/4
C.22.	**Ext. Filicis** 60 min.		39/5	388/4
C.23.	**Guaiacol** 3 min.		5/3	46/3
C.24.	**Guaiacol Carb.** gr. 5		5/9	51/6
C.26.	**Liq. Vitamin. A et D**		4/–	34/–
C.27.	**Ol. Hippoglossi** (4500 I.U. Vitamin A)		4/–	34/–
C.28.	**Ol. Morrhuæ** 15 min.		5/3	46/–
C.29.	**Ol. Morrhuæ** 30 min.		8/–	69/–
C.30.	**Ol. Ricini** 15 min.		4/10	42/4
C.31.	**Ol. Ricini** 30 min.		8/–	74/6
C.32.	**Ol. Santal** 10 min.		23/–	214/6
C.33.	**Ol. Terebinth.** 5 min.		3/5	28/–
C.34.	**Ol. Terebinth.** 10 min.		4/5	38/–
C.36.	**Quinin. Ammon.** (60 min. Liq.)		5/9	51/6
C.58.	**Tænigen** 5 min.	M	4/3	34/–
C.59.	**Tænigen** 10 min.	M	6/–	48/–
C.60.	**Tænigen** 15 min.	M	8/3	66/–
C.61.	**Tænigen** 20 min.	M	9/6	76/–
C.62.	**Tænigen** 30 min.	M	11/6	92/–
C.63.	**Tænigen** 40 min.	M	12/6	100/–
C.64.	**Tænigen** 60 min.	M	20/3	162/–
C.65.	**Tænigen Co.** .. .. Equiv. Tænigen 20 min. Ext. Filicis 10 min. Santonin gr. 1	M	30/6	—
C.66.	**Tetralene** 3 min.		4/–	32/–
C.67.	**Tetralene** 16 min.		7/–	56/–
C.68.	**Tetralene** 40 min.		12/6	100/–
C.69.	**Tetralene** 75 min.		20/–	160/–
	Vitamin A et D. See Liq. A et D			
C.37.	**Vitaminorum** A, B1, B2, C, D..		8/–	66/–
C.35.	**Wheat Germ Ol.** 3 min. ..		4/8	40/6
C.70.	**Wheat Germ Ol.** 5 min. ..		6/–	55/–

PESSARIES AND BOUGIES

"MAGNUM" PESSARIES

Each wrapped in transparent tissue and packed in cartons of 6.

Supplied to order with Cocoa Butter basis, 2/6 per box extra.

*Made with Gelatine basis at prices quoted.

		Cartons of 6
Acid. Boric, 2 drms.		**4/6**
Acid. Boric, 2 drms.		**6/6**
Iodoform, 1 drm.		
Acriflavine (1 in 1,000)		**4/–**
Alkaline		**4/6**
Ammon. Ichthosulph., 10%		**5/–**
Charcoal		**4/6**
Chinosol, ½ drm.		**6/6**
Creoform		**6/6**
Creosalgen Surgical, 3%	M	**4/6**
Formaldehyde, 2% *		**8/–**
Hewsol Germicide 10%		**3/9**
Hyd. Perchlor. (1 in 2,000)		**4/9**
Iodermiol, 10%		**5/–**
Iodoform, 1 drm.		**6/6**
Lysalform		**5/6**
Lysoline	M	**5/–**
"P.A.B.S." 1 drm. *		**8/–**
Salol, 2 drms.		**6/6**
Salol, 2 drms.		**9/6**
Iodoform 1 drm.		
Salol, 2 drms.		**11/–**
Iodoform, 2 drms.		

INTRA-UTERINE PESSARIES

Each wrapped in transparent tissue and packed in cartons of 12.

Creoform	**7/- per doz.**
„ with soap basis	**9/– per doz.**
Hewsol Germicide 10%	**4/6 per doz.**
„ „	**51/– per gross.**

"PARVUM" PESSARIES

FOR EWES.

Acid. Boris. 15%

Alkaline

Creosalgen (Surgical) 3%

Formaldehyde 2%

Hewsol Germicide 10%

Iodermiol 10%

Creoform

Acid. Boric. 15% with Iodoform 7%

Salol

Price : **2/6** doz. ; **25**/– gross.

Iodoform and Salol, **3**/– doz.

"HANDY" TEAT BOUGIES

NEW ASEPTIC PACKING

They are most useful for inserting into injured teats or after operating on a blind teat to prevent the closing of the milk duct.

A choice of two aseptic bases is available and the bougies are supplied ready lubricated in transparent containers of 1 dozen. Length 3 ins.

Acriflavine Basis	**2/3** per tube
P.A.B.S. Basis	**2/6** „ „

HALF SIZE TEAT BOUGIES

Recently made available as a result of many requests from Veterinary Surgeons. Length 1¾ ins.

Acriflavine Basis	**2/–** per tube
P.A.B.S. Basis	**2/3** „ „

DRAUGHTS FOR HORSES

1. Anodyne	Tinct. Opii B.P.1898	¾ oz.	
	Spt. Æther Nit. ..	1 oz.	
	Flavoured. In 3 oz. bottles		**19/6** doz.
2. Colic ..	Parophyroxia *M*	4 oz.	**18/6** doz.
SI **3. Colic ..**	Chlorodyne Black ..	1 oz.	
	Tr. Bellad. B.P. 1885	2 drms.	
	Aq. ad 4 ozs. ..		**18/6** doz.
SI **4. Cordial**	Chlorodyne Black ..	½ oz.	
	Ol. Menth. Pip. ..	½ drm.	
	Aq. ad 4 ozs. ..		**13/6** doz.
5. Fever ..	Liq. Nitriti Co. ..	1 oz.	
	Liq. Ammon. Acet.	2 oz.	
	Liq. Ammon. Fort.	½ drm.	
	Aq. ad 6 ozs. ..		**14/6** doz.
7. Black Drink	For Colic, Chill and Diarrhœa.		
	Ol. Tereb. 1 oz.		
	Tr. Catech. 5 drms.		
	Tr. Capsic. ½ drm.		
	Ol. Menth. Pip. 5 mins.		
	In 2½ oz. bottles ..		**13/6** doz.
8. Tonic ..	Liq. Ammon. Fort.	½ drm.	
	Inf. Gent. Co. Conc.	1 oz.	
	Aq. ad 4 ozs. ..		**11/-** doz.

MICROSCOPIC

STAINS AND PREPARATIONS

In Solution.

Exempt from Purchase Tax.

	Per oz.
Acid Alcohol	**1/-**
Carbol Fuchsin (Ziehl Neelsen)	**1/6**
Carbol Gentian Violet	**1/9**
Carbol Methyline Blue	**1/9**
Cedar Wood Oil	**2/3**
Eosin, Aqueous	**1/6**
Gentian Violet, Alcoholic	**2/-**
Gentian Violet, Aqueous	**1/6**
Gram's Iodine	**6d.**
Hæmatoxylin (Delafield)	**1/9**
Hœmatoxylin (Ehrlich)	**1/9**
Jenner's Stain, for Blood	**3/6**
Leishmann's Stain	**3/6**
Lœffler's Methylene Blue	**1/6**
Macfadyan's Methylene Blue	**1/6**
Methylene Blue, Alcoholic	**2/-**
Methylene Blue, Aqueous	**1/6**
Methyl Violet	**1/6**
Toison's Solution	**1/6**

"EVAPOGENS"

Evaporating Skin Lotions for diseases of the skin.

No. 1. Evapogen Sulphur. Containing 12.5% of Sulphur Præcip.

No. 2. Evapogen Sulph. et Picis Carb. Containing 12.5% of Sulphur Præcip. and 10% Liq. Picis Carb. (Meth.).

No. 3. Evapogen Zinci Oxid. Containing 2.5% of Zinc Oxide.

No. 4. Evapogen Zinci Co. Containing 2.5% of Zinc Oxide together with 1% Resorcin and 5% Liq. Picis Carb. (Meth.).

No. 5. Evapogen Zinci et Ichthammol. Containing 2.5% of Zinc Oxide with 5% Ichthammol.

No. 6. Evapogen Zinci et Calaminæ. Containing 2.5% of Zinc Oxide, with 4% of Calamine.

No. 7. Evapogen Plumbi Carb. Containing 10% Plumbi Carb.

No. 8. Evapogen Camphoræ et Acid. Salicylic. Containing 15 grains of Camphor, 30 mins. of Ether, 40 grains of Sulphur and 7½ grains of Acid. Salicylic. in each ounce.

No. 9. Evapogen Cadinum. Containing 5% Oil of Cade.

No. 10. Evapogen Cadinum et Zinci Oxid. Containing 5% Oil of Cade and 3% Zinc Oxide.

No. 13. Evapogen Picis Carb. Co. Containing 10 minims of Liq. Picis Carb. (Meth.), 12 grains of Zinc Oxide, 4 grains of Ammoniated Mercury, 8 grains of Starch and 1 grain of Plumbi Carb. in each ounce.

No. 14. Evapogen Resorcin Co. Containing 10 grains of Resorcin, 25 grains of Acid. Salicylic. and 3 minims of Phenol Liq. in each ounce.

Packed in wide-mouth screw-capped bottles.

20 fl. oz. **3/3** each

90 fl. oz. **12/3** each

VACCINES AND SERA

FOR CATTLE, HORSES, DOGS, SHEEP, SWINE, ETC.

Telegraphic Code.		Packings.	Price.
Blagg	**BLACKLEG AGGRESSIN.** For active immunisation .. .. Doses. Calves, 5 c.c., Sheep, 2 c.c.	50 c.c.	**8/-**
Caser	**CANINE DISTEMPER SERUM.** Obtained from horses immunised against strains of B Coli. (Canine), B. Bronchisepticus and Streptococci .. .. Doses. For 1 to 3 weeks passive immunity, 10 c.c. Curative, in the early stages only, 20 to 50 c.c.	10 c.c. 20 c.c	**2/6** **5/-**
Capro Cancu	**CANINE DISTEMPER VACCINE.** Containing B. bronchisepticus, staphylococcus albus, staphylococcus aureus and haemolytic and non-haemolytic streptococci. When ordering, please state curative or prophylactic .. **Prophylactic.** Doses. Three injections of 1 c.c. to 2½ c.c. at intervals of five to seven days. **Curative.** Doses. Three or four graded injections at weekly intervals. Small Dogs, ¼ c.c., increasing to 1 c.c. Large Dogs, ½ c.c., increasing to 2 c.c.	2 c.c. 12×2 c.c. 25 c.c.	**1/9** **18/-** **11/-**
Pyoid	**C. PYOGENES TOXOID.** For the prevention of summer mastitis, metritis and other infections caused by Corynebacterium Pyogenes	100 c.c	**13/-**
Pyrum	**C. PYOGENES ANTISERUM.** For the prevention and treatment of pneumonia in calves also for the treatment of localised infections, such as summer mastitis and metritis Doses. Prophylactic 10 to 20 c c. Treatment 20 to 60 c.c.	100 c c	**19/6**
Lamby	**LAMB DYSENTERY SERUM.** .. .. Dose for Lambs, 5 c.c. as soon after birth as possible.	100 c.c.	**16/8**
Ladys	**LAMB DYSENTERY VACCINE.** .. .. For Ewes. First dose, 5 c.c. just before the tupping season (e.g. October). Second dose, 5 c.c. in the week before lambing.	250 c.c.	**19/-**
Staph	**STAPHYLOCOCCUS TOXOID.** For all staphylococcic infections. Also for Demodectic Mange in Dogs. .. .. Doses, given at intervals of 2 to 3 days. 1st 2nd 3rd Cattle .. 10 c.c. 15 c.c. 20 c.c. Sheep .. 2½ c.c. 5 c.c. 10 c.c. Dogs .. 1 c.c. 2 c.c. 5 c.c.	100 c.c.	**25/-**
Swiry	**SWINE ERYSIPELAS SERUM.** For pigs which have been exposed to infection. Gives about 3 weeks passive immunity .. .. Doses. Prophylactic, 10 to 20 c.c. Curative, 20 to 50 c.c.	100 c.c. 250 c.c.	**11/-** **25/6**
Swipe	**SWINE ERYSIPELAS VACCINE (Living).** For prophylaxis of healthy pigs on non-infected premises .. .. Dose. ½ c.c. Vaccine and 5 to 10 c.c. serum injected at the same time into different sites.	10 c.c.	**1/6**
Axobi	**TETANUS ANTITOXIN.** For prophylactic and curative treatment of Horses Cows, Sheep, etc. .. .. Doses. For Horses, Prophylactic, 3,000 I.U. Curative 10,000 to 50,000 I.U. intravenously, followed by daily doses of 10,000 to 50,000 I.U. until condition improves. For Lambs, Prophylactic 500 to 1000 I.U.	3,000 I.U. 50,000 I.U.	**3/2** **35/-**
Tuvia	**TUBERCULIN, AVIAN,** Concentrated, synthetic medium	5. cc.	**6/6**
Tubin	**TUBERCULIN, INTRADERMAL**	1 dose 5 doses	**9d.** **3/-**
Tusyn	**TUBERCULIN, INTRADERMAL,** Synthetic Medium	5 c.c.	**6/6**
Typac	**TUBERCULIN, INTRADERMAL/OPHTHALMIC,** Combined	50 doses	**7/6**
Johne	**TUBERCULIN (JOHNIN),** Concentrated, synthetic medium	5 c.c.	**6/6**
Tynsu	**TUBERCULIN, SUBCUTANEOUS**	1 dose 5 doses 50 c.c.	**1/-** **4/6** **10/-**

THE McLINTOCK PRESET SYRINGE

British Patent No. 622848.

For Tuberculin Testing



ADVANTAGES

1. Accuracy of dosage.
2. Automatic setting for next dose.
3. Twenty doses.
4. All-metal construction.
5. Practically unbreakable.
6. Leakproof piston
7. Pistol grip and powerful leverage
8. Unvarying distance between pressure lever and grips.
9. Holster attachment leaves hands free.
10. Suitable for Record or Schimmel needles.
11. Broken needles easily removed.
12. Six months' guarantee against faulty workmanship or material.

Syringe, with red or blue thumb knob	**126**/– each
Belt with 2 holsters to hold syringes	**30**/– each
Set complete (2 syringes and belt with 2 holsters)	**282**/– each

(Leaflet giving full details on application)

Sole Distributors :

C. J. HEWLETT & SON, LTD., 35/43 Charlotte Road, LONDON, E.C.2

THE NEO-INJECTOR

(HEWLETT'S)

For the Administration of Calcium Boro-Gluconate, Magnesium Dextrose, Saline Solutions, etc.



ADVANTAGES

- Fits any ordinary bottle from 8 ozs. to 20 ozs.
- No special cork or rubber cap is necessary
- No extra bottle to be carried (fits into injection bottle)
- Easy to clean and supplied in compact washable case
- Whole apparatus readily sterilized by steam
- Any quantity may be injected by simple adjustment

Price **14/6** *complete in case*

VETERINARY INSTRUMENTS AND SUNDRIES

The Surgical Instruments, Dressings and Sundries shown on the following pages are offered subject to market fluctuation and to Purchase Tax as indicated.

Items not priced were temporarily out of stock at the time of going to press.

ABSCESS LANCETS.

See Lancets.

M ACCOUNT FORMS

Size 7½×4½ ins., printed with name and address as required: 500, **12/6**; 1,000, **24/-**

T APRONS.

Surgeons' Jaconet	**8/6**
Ditto, red sheeting	**12/6**

AURISCOPE.

Black covered battery handle, with 3 nickel plated specula and spare lamp, complete in case **70/-**

BAGS.

The "Lynmouth." Size 14×10×6½ ins., in long grain real hide, black or brown. Strongly made case on plywood foundation, fitted three capacious drawers, 2 ins., 2½ ins. and 4 ins. deep respectively. Suitable for holding instruments dressings, etc. A very useful and popular case with the profession. Case lined throughout in high grade washable rexine, as Fig. 2 .. **110/-**

The "Canonbury." Size, 14 in.×7 in.×12¾ in. deep, in black or brown cowhide, pegamoid lined, fitted with four drawers having depths of 1⅝, 2⅜, 3 and 4 in., the largest being deep enough to hold 2×400 c.c. bottles of Calcium Boro-Gluconate and Hewlett's "Neo-Injector." Pocket in lid to hold papers, Fig. 3 .. .. **126/-**

BALLING GUNS.

Boxwood	**12/-**
Flooks	**18/-**

BANDAGES.

Calico, unbleached: 6-yard lengths.

1 in.	2 in.	2½ in.	3 in.	4 in.	6 ins.	
3/9	**7/-**	**9/-**	**11/-**	**14/6**	**21/-**	doz.

Gypsona, 3-yd.:

—	**16/-**	—	**20/-**	**24/-**	**33/-**	,,

Elastoplast, in tin:

—	**45/-**	**50/-**	**54/-**	**80/-**	,,
Crepe:—	**18/-**	**24/-**	**30/-**	**39/-**	,,

Water dressing, bleached: 6 yards

3/6	**7/-**	**7/6**	**8/3**	**11/6**	**18/6**	,,

M BOWLS

	6″	8″	12″	
Enamelled Iron	**1/-**	**2/-**	**3/6**	each
Stainless Steel	—	**18/6**	**36/-**	,,

BOXES.

Pill. Pink, deep or cut down:

	1dr.	2dr.	½oz.	1oz.	
Single					
Common	**1/3**	**1/10**	**3/9**	**4/9**	per gross
Purple, White Edge ..	**4/3**	**4/9**	**6/6**	**7/8**	,,

Ointment, Card, Seamless:

2dr.	½oz.	1oz.	2oz.	3oz.	4oz.	
8/-	**9/-**	**11/-**	**13/-**	**16/-**	**18/9**	,,

BULL HOLDERS.

With slide and spring	**11/-**
Black, very portable	**7/6**

BULL NOSE PUNCHES.

All Black .. ..**16/6** and **40/-**

BULL RINGS.

Metal **4/-**

CALIPERS.

Nickel-plated, for Intradermal work, as Fig. 9 **26/-**

CAMEL HAIR PENCILS.

Dozen	**3/-**
Ditto, large	**4/6**

CAPSULE GUN.

A cheap instrument for administering capsules to sheep, that can be handed to farmers or shepherds. In two sizes, capable of taking 15 min. (or 1 c.c.) and 60 min. capsules. Made of stout red rubber tubing with hard wood plunger, as Fig. 10 .. small, **3/4**; large **4/-**

CARTONS.

Folding, for Drenches,	4 oz. and 8 oz. per gross	**14/-**
	12 oz. and 16 oz. ,,	**12/-**

CASTRATORS.

Burdizzo's Pattern 13″ **140/–** 16″ **145/–** 19″ **150/–**

CATHETERS.

Cat (Gray's), nickel plated .. .. each **4/3**
Cow (Armatage's), German silver **9/6**
Cow (Neilsen's), single, Fig. 11 .. .. .. **10/6**
Cow (Neilsen's), double, Fig. 12 .. .. .. **21/–**
Dog, cylindrical, with two eyes, 16 in. long, assorted sizes **2/3**

CATTLE PROBANGS.

See Probangs.

CAUSTIC CASES.

Nickel-plated holder **8/6**
Vulcanite **7/6**

CENTRIFUGAL MACHINE

Hand Model, 2,000 r.p.m. fitted with 2 tubes, one plain, one graduated, to clamp on table **80/–**

CLAMS.

Castrating. With slide handle **26/–**
Wood, with leather cap, Fig. 15, doz., **20/–**, ea. **1/10**
With knife, for Lambs, Fig. 17 .. .. **12/6**

Hernia. Aluminium, Fig. 14 :
Small, **43/6** ; large, **67/6** ; straps /
Steel .. .. /

CLAMPS.

West's Prolapsus, as Fig. 13, nickel-plated, four sizes .. .. **16/6, 19/6, 24/–** and **27/–**

CORKS.

Per gross .. .. **2/3, 2/8, 4/–, 4/6** and **5/6**

COTTON WOOL.

Hospital **4/3**
Absorbent, B.P.C. **5/3**
Unbleached **3/–**

COTTON WOOL HOLDER.

Nickel-plated, with bayonet catch and flat handle, 6 in. long, as Fig. 19 .. .. .. **5/–**

CUFF PROTECTOR

Red rubber .. .. per pair **15/–**

M DANGEROUS DRUG REGISTER.

Each **8/–**

DIRECTORS.

German silver, with scoop **4/–**

DOCKING MACHINES.

Powerful, rosewood handles .. .. .. /
Ditto, plain wood handles .. .. .. /

DRAINAGE TUBING.

Indiarubber, medium size .. from yard **1/6**

DRENCHING BIT.

For Dogs or Sheep, nickel-plated, complete with straps **16/6**
For Horses and Cattle, nickel-plated, complete with rope and strap **46/–**

DRENCHING TINS.

For Cows **9/–**

M DRESSING BINS.

Enamelled, with inner container :
12 ins. × 9½ ins.
,, ,, ,, ,, and foot pedal .. **16/6**

EMASCULATOR.

As Haussman and Dunn's pattern **170/–**

EMBRYTOME

As Danish pattern **210/–**

ENVELOPES.

Powder Manilla (plain whitey brown) :
½ oz., **10/–** ; 1 oz., **11/–** ; 2 oz., **12/–** per 1,000

FORCEPS.

Artery. Spencer Wells, Nickel plated **11/–**
,, ,, Stainless Steel .. **13/6**
Bow, or dressing, Fig. 25 .. .. .. **7/6**
Capsule. Plated wire, Fig. 23, each **4/6** doz. **52/–**
Nickel-plated, length 11½ ins., Fig. 24 .. **12/–**
Dissecting .. .. **3/6** and **5/9**
Needle-holding **30/–**
Tooth. Various .. .. .. **22/–** and **28/–**
For Dogs **20/–**
Tracheotomy. Spooner's Regulating **34/–**
Vulsellum, Neilsen's, Fig. 25/1 .. .. .. **65/–**
Whelping. For Toy Dogs, Fig. 27, **27/–** ; large size /
For Dogs, Fig. 26 .. .. **32/6**

FUNNELS.

Glass. 1 oz. **1/1** 2 oz. **1/–** 4 oz. **1/2** 8 oz. **1/5** 1 pint **2/3**

GLASS MEASURES.

Graduated :
½ oz. **2/–** 1 oz. **2/–** 2 oz. **3/–** 4 oz. **3/3** 6 oz. **3/6** 10 oz. **4/–** 20 oz. **5/9** each

GLASS RODS.

Eye, as Fig. 34 .. .. doz. **2/6**
Elphick's pattern .. .. .. ,, **2/6**

M GLOVES.

Indiarubber, Non-slip .. .. per pair **2/6**

HOOKS.

Embryotomy. With ring **12/6**
Foal. Blunt or sharp, for dead foals **9/–**
Ditto, complete with rope **11/–**
Blunt, on long handle **28/–**
Parturition. Sharp and blunt **10/–**
With rope **12/–**

(*Continued on page* 48



Fig. 2..—Bag, Surgical, The "Lynmouth,"
Drawers Closed, **110/-**



Fig .3.—Bag, Surgical, The "Canonbury," **126/-.**



Fig. 9.—CALIPERS, for Intradermal work, nickel plated, **26/–**.

Fig. 10.—CAPSULE GUN.
Small, **3/4** ; Large, **4/–**.



Fig. 11.—CATHETERS, Neilsen's, single, **10/6.**



Fig. 12.—CATHETER, Neilsen's, double, **21/–.**



Fig. 13.—CLAMP, PROLAPSUS, WEST'S, 4 sizes.
No. 13. **16/6** ; No. 2, **19/6** ; No. 3, **24/-** ; No. 4, **27/-**



Fig. 14.—CLAM, HERNIA. Small, **43/6** ; Large, **67/6**

Fig. 15.—CLAM, CASTRATING (WOOD), **1/10**.



Fig. 17.—CLAM CASTRATING, with Knife, **12/6**

Fig. 19.—COTTON WOOL HOLDER, nickel plated, bayonet catch, flat handle, 6 in. long, **5/-**.



Fig. 23.—Forceps, Capsule, Wire, **4/6** each.



Fig. 24.—Forceps, Capsule, **12/-**.



Fig. 25.—Bow Forceps, Dressing, **7/6**.



Fig. 25/1.—Forceps, Vulsellum, Neilsen's, **65/-**



Fig. 26.—Forceps, Whelping, **32/6**.



Fig. 27.—Forceps, Whelping, **27/-**

Fig. 34.—Glass Rods for Eye, **2/6** doz.



Fig. 36.—THE ARMY POCKET CASE, 85/-.



Fig. 37.—"THE HANDY" SET OF POCKET DRESSING INSTRUMENTS, 85/- each.

Fig. 39.—FIRING IRONS, 7/9.



Fig. 41.—KNIFE, COLES' EMBRYOTOMY, **25/–**.



Fig. 42.—KNIFE, CASTRATING, Metal handle, **10/6**; ditto, lock-back, **15/6**.



Fig. 43.—KNIFE, DRAWING, **3/9**.



Fig. 44.—LANCETS, ABSCESS, **4/9**.



Fig. 45.
KNIFE, SYME'S ABSCESS, **9/–**.

Fig. 47.—MEDICINE CHEST, **95/–**, fitted complete.



Fig. 49.—MILKING TUBE, SELF-HOLDING, **8/–** (Hewlett's.)

Fig. 50.—MILK FEVER SYRINGE TEAT TUBE, with metal screw cover and screw end on cover to enable cover to be cleaned, **10/6** each.

Fig. 51.—MILKING TUBE, with Shield, **2/–** each.



Fig. 52.—MILKING TUBE, with Rings, **1/6** each ; **17/–** doz.



Fig. 53.—MOUTH GAG FOR SHEEP, **2/9**.



Fig. 58.—PAPPILLATOME, **7/–**.



Fig. 59.—PROBANG, SPIRAL WIRE, **74/–**.



Fig. 60 —PROBANG, **16/6**.

Fig. 61.—PUMP, STOMACH, nickel-plated, **62/–**.



Fig. 62.—SCALPEL, POCKET, Spring Back, Metal Handle, **10/6**
Ditto, Lock-back, **15/-**.



Fig. 63.—SCALPEL AND BISTOURY, Metal Handle, Spring, **25/-**.

Fig. 64.—SCISSORS, CLIPPING, **14/-** and **16/-**.



Fig. 65.—SPECULUM, EYE, **12/-**.



Fig. 66.—SYRINGE, CLYSTER, Portable, **59/-**.



Fig. 69.—Syringe, "Record", complete in Case, 10 c.c., **14/-**.

Fig. 72.—Syringe, Quittor, **14/-**.



Fig. 73.—Syringe, Wound, Pewter, with long Canula. 1 oz., **14/6** ; 2 oz., **20/-** each.



Fig. 77.—Teat Dilator, **8/6**.



Fig. 77/1.—Teat Instruments, Hudson's Set of Three, **10/6**.

Fig. 77/2.—Teat Knife, McLean's, **15/6**.

Fig. 78.—Teat Tube, **3/-**.



Fig. 80.—Teat Puncturing Sound, **5/6**.



Fig. 81.—THERMOMETER, CLINICAL, HOBDAY'S, **6/–**

Fig. 82.—THERMOMETER, CLINICAL, STUB-END, **2/8.**



Fig. 83.—TOOTH RASP, with Guard, **21/–.**



Fig. 87.—TROCARS, SET OF FOUR ASEPTIC, fitting one handle, **32/–.**



Fig. 88.—TROCAR WITH CANULA, **20/–.**

INSTRUMENT SETS. POCKET.

No. 3. The "Army" Pocket Case, as Fig. 36. This latest pattern Pocket Case contains: Symes' Abscess Knife, Scalpel with Aseptic metal handles, two Spencer Wells' Artery Forceps with Collins' Aseptic joint, Dressing Scissors, Director with Scoop, Silver Probe, Clinical Thermometer, Suture Needles, half curved, Hank of Suture Silk. In stout morocco case with metal catch, complete .. **85/–**

Empty case only **30/–**

No. 4. The "Handy" Pocket Dressing Instruments Case. Suggested by Mr. Percival Snaith, M.R.C.V.S., Fig. 37. Folds easily for the pocket. Size when folded, 6 ins. by 4½ ins. The "Handy" Case is of best morocco leather, and has two side flap pockets for Silk, Suture, Needles, etc. It contains Symes' Abscess Knife (spring-back), Scalpel (spring-back), Scissors, 5 in. curved on flat, Dressing Scissors, 5 in., Director with Scoop, Silver Probe, Spencer Wells' Forceps, Metal Caustic Case, Clinical Thermometer, ½ doz. Suture Needles and Card of Silk (four sizes), complete .. **85/–**

Empty case only **30/–**

No. 5. Pocket Instrument Set. Rexine leather case, folding, with white detachable washable lining, fitted with Symes' Abscess Knife and Scalpel, Artery Forceps, Dressing Forceps, set of four Trocars fitting one handle, Scissors 5 in., Metal Caustic Holder, Scoop and Director combined, Clinical Thermometer, Probe, six Needles and card of Silk .. complete **68/–**

Case only, empty **9/–**

Morocco leather case, as above, empty .. **11/6**

IRONS.

Docking **8/6**
Firing. In fixed handles, Fig. 39 .. .. **7/9**

KNIVES.

Abscess. Spring-back, metal handle **9/–**
Ditto, lock-back **12/6**
Symes', metal handle, Fig. 45.. .. .. **9/–**

Castrating. Small, metal handles **8/6**
Ditto, lock-back **13/6**

Drawing. As Fig. 43 .. .. **3/9**
For pocket, spring-back, buffalo handles .. **8/6**

Embryotomy. Cole's, with spring, as Fig. 41 .. **25/–**
Cowen's, hook shape **12/6**
With ring **9/6**

Palette.

4 in.	6 in.	8 in.	9 in.	10 in.
2/11	**3/3**	**5/–**	**6/–**	**7/–**

Pill. Bone, 6 in., **11d.**; 8 in., **1/6**; 9 in., **2/–**; 10 in., **2/6**

M LABELS.

Large blanks 1,000 **6/–**
Extra large.. .. .. ,, **9/–**

LANCETS.

Abscess. Metal handles, Fig. 44 .. .. **4/9**
Bleeding. Metal handles.. .. .. .. **5/6**
Gum. Spring back, metal handles **6/6**
Ditto, ditto, lock back **10/–**

LIGATURES.

Catgut, in sealed glass tubes, about 5 ft. in tube, in solution. Per box of three tubes, assorted sizes .. .. per box **6/6**

Dry, in hanks of 10 ft., assorted thicknesses, from **28/6** to **54/–** per doz. hanks.

Nylon, boxes of 100 × 14 in.

Sizes	2N	3N	4N	5N	6N	7N	8N	
Undyed	**2/6**	**2/6**	**2/6**	**3/–**	**3/6**	**4/–**	**4/9**	box
Dyed	**2/9**	**2/9**	**2/9**	**3/3**	**3/9**	**4/6**	**5/6**	,,

Nylon, sterilized in tubes of 50 × 12 in.

Undyed	**3/6**	**3/6**	**3/6**	**4/–**	**4/3**	**4/9**	**6/3**	tube
Dyed	**4/–**	**4/–**	**4/–**	**4/3**	**4/9**	**5/–**	**6/9**	,,

Silk, in screw-capped tubes of 50 12 in. lengths, in solution .. .. .. per tube **5/–**

Per hank of 12 yards

Sizes	1	2	3	4	5	6	7
	6d.	**9d.**	**1/–**	**1/6**	**1/8**	**1/9**	**2/–**
Sizes	8	9	10	11	12	16	
	2/3	**2/4**	**2/10**	**2/10**	**3/3**	**5/3**	

Per card of one size, **1/9**; card of four sizes, **3/8**

Reels .. .. per reel **2/4**

Silkworm Gut, in screw-capped tubes of 50 12 in. lengths, in solution: Fine, **8/–**; medium, **8/3**; coarse **8/6**

Boxes of 100 strands, loose .. per box **8/6**
Ditto, 50 ditto .. .. ,, **4/6**

Needles. See **Needles, Suture.**

LINT.

Second quality, **7/–**; B.P.C. quality per lb. **9/–**
Boric .. .. ,, **9/–**

LITMUS AND TUMERIC PAPER.

Books .. .. per doz. **2/–**

MASK, CHLOROFORM

Cox's for Cows .. .. each **40/–**
,, ,, ,, with Zipp fastener .. ,, **42/–**
Leather, for Dogs **33/–**

MEASURING STANDARD

Wood, for Horses **55/–**

M MEDICINE CHEST.

Fitted complete, Fig. 47 .. .. **95/–**
Empty **42/–**

MICROSCOPIC COVER GLASSES.

		Squares	Circles	
English make. In ½ oz. boxes				
L164.	Thin	**13/–**	**13/6**	oz.

MICROSCOPIC SLIDES.

3 in. × 1 in.

L168. Half-white .. .. .. gross **11/6**
L167. Extra white, polished edges .. ,, **13/6**

MILK FEVER SYRINGE TEAT TUBES.

Each **1/9**
Ditto, with metal screw cover and screw end on cover to enable cover to be cleaned, as Fig. 50 **10/6**

MILKING TUBES.

Taper, with shield, Fig. 51	(per doz., **22/–**)	**2/–**
Straight, with shield ..	(per doz., **16/–**)	**1/6**
With rings, as Fig. 52 ..	(per doz., **17/–**)	**1/6**
Self-Holding, Fig. 49.		**8/–**

MOUTH GAGS.

Sheep, stout wood, Fig. 53	**2/9**
Cattle, stout wood, Trevor Williams ..	**37/6**
,, ,, ,, ,, with leather straps	**42/–**

NAIL CLIPPERS.

Dogs	pair	**21/–**

NEEDLES.

Hypodermic (English make) :



NEEDLES, HYPODERMIC
Actual size.

Stainless Steel to fit Record Syringes, sizes and lengths stocked as follows:—

	¼″	⅜″	½″	⅝″	¾″	1″	1¼″	1½″	1¾″	2″
5/10 ..	5/6	5/6	5/6	5/6	5/6	5/6	5/6			
6/10 ..	5/6	5/6	5/6	5/6	5/6	5/6	5/6			
7/10 ..	5/6	5/6	5/6	5/6	5/6	5/6	5/6	5/6		
8/10 ..	5/6	5/6	5/6	5/6	5/6	5/6	5/6	5/6		
9/10 ..	6/9	6/9	6/9	6/9	6/9	6/9	6/9	6/9	6/9	
10/10 ..	7/3	7/3	7/3	7/3	7/3	7/3	7/3	7/9	7/9	
12/10 ..			7/3	7/3	7/3	7/3	7/3	7/9	7/9	
14/10 ..					7/9	7/9	7/9	7/9	7/9	
16/10 ..						8/3	8/3	8/3	8/3	8/9
18/10 ..							8/3	8/9	8/9	8/9
20/10 ..								8/9	11/–	11/–

Seton, sharp points, 4 in. to 10 in.	**5/6**
Ditto, sharp points, 11 in. to 14 in.	**6/9**
Ditto, sharp points, 15 in. to 18 in.	**10/6**
Ditto, probe points, 4 in. to 10 in.	**7/–**
Ditto, probe points, 11 in. to 14 in.	**8/3**
Ditto, probe points, 15 in. to 18 in.	**11/6**
Suture, straight .. .. per packet of 6	**2/6**
Ditto, curved .. .. ,, ,, 6	**2/6**
Ditto, Ward Finnemore's .. set of 3	**2/6**

OILED SILK.

Green or Yellow	per yard	**6/9**

OPHTHALMOSCOPE

May's improved, with battery in handle, spare lamp, in leatherette case	**84/–**

PAILS

Stainless steel, graduated, reinforced	**72/–**

PLASTERS.

Zinc Oxide. On Spools :

	½″	1″	2″	3″	4″	
5 yard	**9/9**	**15/–**	**27/6**	**39/3**	**51/–**	doz.
10 yard	**15/6**	**24/6**	**35/3**	**63/9**	**83/–**	,,

PROBANGS.

Spiral wire, leather covered, cane stilette, as Fig. 59 Sheffield Make	**74/–**
London made	**54/–**
Ditto, corkscrew, leather covered, cane stilette	**45/–**
Gum elastic, 72 in. long, with cane stilette ..	**31/–**
Gum elastic, for sheep, Fig. 60	**16/6**
Dogs', expanding bristles..	**4/6**

PROBES.

Silver	**1/6** and **2/8**
Metallic, various lengths	**1/–**

PUMPS.

Stomach. Nickel-plated, 16 in. barrel, 1¼ in. diameter, with union and 10 ft. of red india-rubber tubing, ⅜ in. bore, Fig. 61	**62/–**
10 ft. red indiarubber tubing, ⅜ in. bore, for passing through the nostrils	**22/6**

ROPES

Calving, set of 3 sizes	set	**10/6**

SCALPELS.

Pocket. In metal handle, Fig. 62	**10/6**
Ditto, lock back	**15/–**

SCALPEL AND BISTOURY.

In metal handle, spring back, Fig. 63	**25/–**

SCISSORS.

Clipping. Leather covered bows, as Fig. 64,	**14/–** and **16/–**
M **Dissecting**	**5/6**
M **Dressing.** Strong	**5/6**
Angular	**7/6**
Curved	**7/6**

SEARCHERS.

Buffalo handles, for pocket	7/9
Stag handles	3/9
Metal handles	7/9
Ditto, lock-back	13/3

SLINGS.

See Horse Slings.

SPECULUM. Eye.

Spring, Fig. 65 .. .. 12/-

SPIRIT LAMP.

Glass, Screw Burner .. 2 oz., 2/1 ; 4 oz. 2/6

SPLINTING.

Gooch's :
1 yd. sq., **18/6** ; 18×27 in., **10/-** ; 27×36 in., **16/-**

STERILIZER, ELECTRIC

Nickel-plated, with new type automatic cut-out. Nos. 1 and 2 are not fitted with a rotory control switch, but are arranged for one heat only, with a two-terminal insulated connecting plug fitted with improved earthing device.
(*When ordering please state voltage and current*)

No. 2	12x6x4 ins.	£16 2 6
No. 3	16x5x4 ins.	£19 4 0
No. 4	17x4x4 ins.	£21 4 0
No. 5	18x7x5 ins.	£21 15 0
No. 6	20x8x4 ins.	£23 3 0

STERILIZER, "SURQUALET"

New pattern of Portable Electric Sterilizer, designed for sterilization of syringes and small instruments. Operates on universal voltage of 200-240 voltage. A.C. or D.C. 6 ft. of cable provided with a universal plug for bayonet or 2 pin sockets, capacity 1 pint, boils in 10 minutes. Specially designed lid keeps all condensation inside sterilizer. Heat-resisting plastic jacket keeps cool during use. Booklet sent on request. £5 15 0

STETHOSCOPES.

Binaural 16/-

SYRINGES.

Clyster. Metal pipe carried in piston rod for greater portability, large wooden pipe separate, 3 pints, as Fig. 66 .. .. 59/-

With cross-shaped handles, small metal and large wood pipes fitting into piston rods, ½ pint 32/-

Ditto, ditto, 1 pint 44/-

Ditto, ditto, 2 pints 57/6

Enema. Higginson's seamless, best, **6/6** ; medium 4/6

Glass. Per doz., ½ oz., **9/-** ; 1 oz., **15/-** ; 2 oz. 18/-

Hypodermic. "All Metal," 10 c.c., graduated on piston, in aseptic metal case 27/-

"Record" pattern, complete in metal case, with two needles, Fig. 69 :

20 min.	2 c.c.	5 c.c.	10 c.c.	20 c.c.	30 c.c.	50 c.c.	100 c.c.
	9/6	**9/9**	**12/3**	**14/-**	**18/3**	**30/-**	—	—

Syringe only :
6/9 7/6 8/3 10/6 13/6 21/- 33/- 47/6

Pewter. Each, ½ oz., **6/-** ; 1 oz., **8/3** ; 2 oz., **11/3**

Quittor. Brass, with three finger rings, and two pipes, Fig. 72 .. .. 14/-

Wound. Pewter. with long canular, Fig. 73 : 1 oz. **14/6** ; 2 oz. **20/-**

TATTOOING FORCEPS

Ayrshire new model, 5 space	54/-
Letters for above A-Z .. .. .. set	51/-
Numbers for above 0-9 .. .. .. ,,	13/9

TEAT DILATOR.

As Fig. 77 .. .. 8/6

TEAT INSTRUMENTS.

Hudson's, set of three, Fig. 77/1	10/6
,, with "T" handle	16/6
Stinson's, set of four	11/6

TEAT KNIFE.

McLean's, Fig. 77/2 .. .. 15/6

TEAT TUBE.

Self-retaining, as Fig. 78 .. .. 3/-

TEAT SOUNDS.

Puncturing, as Fig. 80 .. .. 5/6

THERMOMETERS. Clinical.

Ordinary magnifying index	2/8 and 2/6
Ditto, stub-end, Fig. 82	2/8
Veterinary	3/6
Ditto, Hobday's, Fig. 81	6/-

TOOTH INSTRUMENTS.

Rasps, with guard for gum, as Fig. 83 .. .. 21/-

TOURNIQUET.

Esmarch's 4/6

TOW.

Per lb., **10d.** .. .. Fine	1/5
Carbolized .. .. per lb.	2/-

TRAYS

Kidney Shape	6″	8″	10″	12″	
Enamelled Iron	**1/9**	**2/-**	**2/9**	**3/3**	each
Stainless Steel	**15/9**	**18/-**	**20/9**	**26/9**	,,

Stainless Steel, straight sides :

6x3x1½ ins.	each	11/-
8x6x2 ins.	,,	26/-
10x8x2 ins.	,,	33/9
12x10x2 ins.	,,	44/-

TROCARS.

For Hoven Cattle, with German-silver Canula ..	20/-
Ditto, Aseptic, all-metal as Fig. 88	20/-
Set of four Aseptic Trocars, fitting one handle, very portable, as Fig. 87 .. .. per set	32/-

UDDER INFLATOR.

For Ewes 7/9

Sodium Lumenal
Rx Sodium Bar 3s
Kl 3ii
Lum Sulph 3iv

Crocket bark & Rhubarb pow.
Rx Sol Plumbi Subacet 3i
Ol Lini 3viii

C. J. HEWLETT & SON, LTD.

Manufacturing Chemists

35-43 CHARLOTTE ROAD
LONDON, E.C.2

Telephone :
BISHOPSGATE 4753 (5 lines)

Telegrams :
PEPSINE, AVE, LONDON

also at

216 ORR STREET, GLASGOW, S.E.

Telephone :
BRIDGETON 3944

Telegrams :
PEPSINE, GLASGOW